

MUSKOKA LAKES PROJECT

1986 PROGRESS REPORT

Lake Muskoka

Lake Joseph

Lake Rosseau

Lake of Bays



Environment

Environnement

Copyright Provisions and Restrictions on Copying:

This Ontario Ministry of the Environment work is protected by Crown copyright (unless otherwise indicated), which is held by the Queen's Printer for Ontario. It may be reproduced for non-commercial purposes if credit is given and Crown copyright is acknowledged.

It may not be reproduced, in all or in part, part, for any commercial purpose except under a licence from the Queen's Printer for Ontario.

For information on reproducing Government of Ontario works, please contact Service Ontario Publications at copyright@ontario.ca

**MUSKOKA LAKES PROJECT
1986 PROGRESS REPORT**

Lake Muskoka

Lake Joseph

Lake Rosseau

Lake of Bays

R. A. Reid and R. Girard

Limnology Section

Water Resources Branch

Dorset, Ontario

POA 1E0

Data Report 88/1

PREFACE

The Data Report Series is intended as a readily available source of basic data collected for lakes and watersheds in the Muskoka/ Haliburton area of Ontario. These data were collected as part of the Lakeshore Capacity Study and/or the Acid Precipitation in Ontario Study.

The limnological portion of the Lakeshore Capacity Study (1975-81) was initiated to investigate the relationships between lakeshore development and trophic status in low ionic strength Precambrian lakes. The Acid Precipitation in Ontario Study (1979 - present) was initiated, in part, to investigate the effects of the deposition of strong acids on aquatic and terrestrial ecosystems in Ontario. The primary findings of these studies have been and will continue to be published as reviewed papers and technical reports.

ABSTRACT

This progress report summarizes the 1986 lake chemistry data for Lake Muskoka, Lake Joseph, Lake Rosseau and Lake of Bays. The nutrient levels show that the lakes are oligotrophic. The alkalinity data indicates the lakes are moderately sensitive to acidic deposition. A comparison of the volume weighted and tube composite sampling methodology indicates that these two methods are comparable.

Reid, R. A. and R. Girard, 1987. *Muskoka Lakes Project: A Progress Report of the 1986 data*. Ontario Ministry of the Environment Data Report. DR 88/1.

SOMMAIRE

Le présent rapport résume les données recueillies en 1986 sur les caractéristiques chimiques du lac Muskoka, du lac Joseph, du lac Rosseau et du Lake of Bays. D'après leur charge nutritive, ces lacs sont oligotrophes, et leur alcalinité révèle qu'ils sont plus ou moins sensibles aux dépôts acides. Par ailleurs, l'examen des méthodes d'échantillonnage (l'une à volume simple, l'autre à volume composé) indique que les deux méthodes sont comparables.

Reid, R.A. et Girard, R., *Muskoka Lakes Project: A Progress Report of the 1986 data*, rapport de données du ministère de l'Environnement de l'Ontario, DR 88/1, 1987.

TABLE OF CONTENTS

List of Tables	iv
List of Figures	v
Executive Summary	1
Recommendations	3
Introduction	4
Methods	5
Results and Discussion	9
Conclusions	17
References	18
Appendix 1. Morphometry and Maps of the Study Lakes	19-27
Appendix 2. Summaries of the 1986 Epilimnetic Mean Chemistry for Each of the 48 Basins	28-37
Appendix 3. Dissolved Oxygen Profile Data	38-53
Appendix 4. 1987 Sampling Sites	54-58

List of Tables

Table 1.	Mean nutrient and chlorophyll ice-free data for the four study lakes	1
Table 2.	Identification of the Sampling Sites	6-7
Table 3.	Chemistry and Chlorophyll Lake Summary	8
Table 4.	Long-term Composite Data from Gravenhurst Bay	10
Table 5.	Gravenhurst Bay - Volume Weighted-Tube Composite Data: A Test for Linearity	15
Table 6.	Gravenhurst Bay - Volume Weighted-Tube Composite: A Paired T-test	16
Appendix 1.	Maps and Morphometry	19-27
Table 7.	Lake Muskoka	21
Table 8.	Lake Joseph	23
Table 9.	Lake Rosseau	25
Table 10.	Lake of Bays	27
Appendix 2.	Chemistry and Chlorophyll Data	28-37
Table 11.	Lake Muskoka	29-30
Table 12.	Lake Joseph	31-32
Table 13.	Lake Rosseau	33-34
Table 14.	Lake of Bays	35-36
Table 15.	Chlorophyll (all 4 lakes)	37
Appendix 3.	Dissolved Oxygen Profile Data	38-53
Table 16.	Lake Muskoka - IM1, IM13	39-40
Table 17.	Lake Muskoka - IM2, IM3, IM4, IM5	41
Table 18.	Lake Muskoka - IM6, IM7, IM8, IM9	42
Table 19.	Lake Muskoka - IM10, IM11, IM12	43
Table 20.	Lake Joseph - IJ1, IJ2, IJ3, IJ4	44
Table 21.	Lake Joseph - IJ5, IJ6, IJ7, IJ8	45
Table 22.	Lake Joseph - IJ9, IJ10, IJ11	46
Table 23.	Lake Rosseau - IR1, IR2, IR3, IR4	47
Table 24.	Lake Rosseau - IR5, IR6, IR7, IR8	48
Table 25.	Lake Rosseau - IR9, IR10, IR11, IR12	49
Table 26.	Lake of Bays - IB1, IB3, IB4, IB6	50
Table 27.	Lake of Bays - IB8, IB9, IB10, IB11	51
Table 28.	Lake of Bays - IB2, IB5	52
Table 29.	Lake of Bays - IB7, IB12	53

List of Figures

Appendix 1. 1986 Sampling Sites	19-26
Figure 1. Map of Lake Muskoka	20
Figure 2. Map of Lake Joseph	22
Figure 3. Map of Lake Rosseau	23
Figure 4. Map of Lake of Bays	26
Appendix 4. 1987 Sampling Sites	54-58
Figure 5. Map of Lake Muskoka	55
Figure 6. Map of Lake Joseph	56
Figure 7. Map of Lake Rosseau	57
Figure 8. Map of Lake of Bays	58

EXECUTIVE SUMMARY

This report summarizes the progress of the Muskoka Lakes project which began in 1986. As part of the Inland Lakes programme, the Muskoka Lakes project is monitoring the impact of acid deposition and localized nutrient loading on the water quality of Muskoka's four largest lakes:

- Lake Muskoka
- Lake Joseph
- Lake Rosseau
- Lake of Bays
 - each lake had several sampling locations - Lake Muskoka (13), Lake Joseph (11), Lake Rosseau (12) and Lake of Bays (12) for a total of 48 sampling sites.
 - each site was sampled monthly except Gravenhurst Bay (GB) and Muskoka Bay (MB) on Lake Muskoka which were sampled bi-weekly.
 - this is a report on the first of three years of monitoring. A more complete report will be published after three years.

Findings:

Chemistry data

- low levels of nutrients and chlorophyll in the study lakes indicate little enrichment. The chemistry data indicates only small differences among sampling sites on each lake.

Table 1. Mean values and standard deviation for nutrients and chlorophyll ($\mu\text{g}\cdot\text{L}^{-1}$) during the ice-free season for the four study lakes in 1986.

Lake	TP (Total Phosphorus)	NH ₄ Ammonium	NO ₃ Nitrate	Total Kjeldahl Nitrogen	Chl-a
Lake Muskoka	5.30 (1.92)	9.9 (3.8)	213.1 (24.9)	210.2 (17.8)	1.52 (0.26)
Lake Rosseau	4.48 (1.02)	8.6 (3.2)	190.1 (21.3)	190.9 (23.9)	1.40 (0.32)
Lake Joseph	3.22 (0.63)	9.1 (3.9)	117.2 (12.9)	170.0 (29.0)	1.92 (0.55)
Lake of Bays	3.83 (0.71)	9.6 (4.9)	131.9 (27.6)	179.5 (26.4)	1.67 (0.35)

- each lake is rated moderately sensitive to acid deposition based on the alkalinity values of 63-93 $\mu\text{eq}\cdot\text{L}^{-1}$ as CaCO_3 .

Alkalinity ($\mu\text{eq}\cdot\text{L}^{-1}$ as CaCO_3)		
	Mean	S.D.
Lake Muskoka	92.7	(8.6) (excludes GB and MB)
Lake Rosseau	87.9	(3.8)
Lake Joseph	63.1	(3.6)
Lake of Bays	70.9	(5.6)

- hypolimnetic oxygen levels were $<5 \text{ mg}\cdot\text{L}^{-1}$ at 10 of the 48 stations during the late summer of 1986.
- localized nutrient enrichment occurs in Gravenhurst Bay and Muskoka Bay because of loadings into these bays from the Gravenhurst Sewage Treatment Plant.

	Total Phosphorus	Total Kjeldahl Nitrogen	Chl-a	Secchi Depth
	----- $\mu\text{g}\cdot\text{L}^{-1}$ -----			m
Gravenhurst Bay	9.9	320	4.5	3.8
Muskoka Bay Lake	9.3	291	4.3	3.6
Muskoka (11 stations)	5.3	210	1.5	5.1

- filamentous algae (*Zygnema*, sp.) occurred on Trading Bay, Rabbit Bay and Pancake Bay (Lake of Bays) in August 1986 (M. Jackson - unpub. data and O.M.E., 1986). No significant growth occurred in any other areas of the lakes. The presence of this particular filamentous algae is often considered as an early indicator of acidification.
- the comparison of the volume-weighted and tube composite sampling methodology showed no significant differences.

RECOMMENDATIONS

- reduce the number of sampling stations on the four lakes from 48 to 26 (Figure 1-4, Appendix 1 and Figures 5-8, Appendix 4) to focus on the embayments.
- sample for dissolved oxygen only at the 10 sites which showed a hypolimnetic depletion in 1986
- monitor all 48 stations every three to five years
- sample Gravenhurst and Muskoka Bay bi-weekly by the Volume-weighted Sampling Methodology
- map the occurrence of the filamentous algae annually.

INTRODUCTION

The Muskoka Lakes Monitoring Project began in 1986. The objectives are to:

- assess the degree of enrichment of Lakes Muskoka, Joseph, Rosseau and Lake of Bays with emphasis on the embayments;
- compare the 1986 results with those of previous surveys and to determine if there has been any significant change in water quality;
- update the acid sensitivity assessment for Lake of Bays;
- document the occurrence and distribution of filamentous algae;
- continue the long-term assessment of the nutrient status of Gravenhurst Bay.

Despite their size and importance both as a recreational resource and to the regional economy, no routine monitoring programmes for any of these lakes existed before 1986. The only exception is Gravenhurst Bay on Lake Muskoka which had been sampled from 1969 to 1985 by O.M.E. (Phytoplankton Taxonomy Sect.). During the early 1970's, Gravenhurst Bay experienced periodic algae blooms associated with excessive nutrient inputs from the Gravenhurst Bay Sewage Treatment Plant (STP). (Dillon *et al*, 1978).

In 1971, the Gravenhurst STP became one of the first sewage treatment plants in Ontario to be equipped with phosphorus removal technology. This reduced greatly the amount of phosphorus entering Gravenhurst Bay. Due to problems with a second treatment plant in 1976, Gravenhurst Bay chlorophyll-a values reverted to pretreatment values. These problems were corrected in April 1976 and since then, except for 1980, a reduced steady state for phosphorus and chlorophyll-a has prevailed.

This report summarizes the water quality data collected from the 48 stations which were established on the four lakes in 1986. The data includes epilimnetic chemistry, euphotic zone chlorophyll and dissolved oxygen profiles.

METHODS

The location and number of the sampling sites on the four lakes Muskoka (13), Rosseau (12), Joseph (11), and Lake of Bays (12) includes both the embayments and the open areas of each lake (Tables 1, 2 and Figures 1-4, Appendix 1). One of the priorities of the programme is to sample the near shore areas and, therefore, embayments are sampled to a maximum depth of 20 m. The morphometry of each site (Tables 5-8, Appendix 1) was digitized from the maps of the Canadian Hydrographic Survey and volumetric estimates allowed sampling by volume-weighted methodology (Locke and Scott DR 86/4). Epilimnion depth was defined as the depth of thermal stratification (Wetzel, 1975). The euphotic zone, sampled for chlorophyll and phytoplankton, was defined as two times (2x) the secchi depth measurement.

Hypolimnetic oxygen depletion was assessed on the basis of a dissolved oxygen profile made from four depths at each station.

The exceptions are Gravenhurst (IM1) and Muskoka Bay (IM13) on Lake Muskoka and four stations on Lake of Bays; Trading Bay (IB2), Bigwin Is. (IB5), Dwight Bay (IB7), and Whiskey Bay (IB12). These basins are sampled at every odd metre from 1 m below the surface to the maximum depth.

Sampling occurred monthly throughout the ice-free season in each basin with the exception of Gravenhurst and Muskoka Bays on Lake Muskoka which were sampled bi-weekly. In addition to the volume-weighted sampling, a tube composite sample was collected. This produced continuity with data collected as unfiltered tube composites from 1972 to 1985 (Ken Nicholls, unpub. data) and allowed comparisons between the tube composite and volume-weighted sampling methods. The tube composite samples were collected by lowering a tygon tube (8 m by 2.5 cm) to a depth of 6 or 8 m (the euphotic zone). The tube was capped and the depth integrated sample thoroughly mixed in a carboy and then poured into the appropriate sampling containers for analysis. Unlike the volume-weighted samples, the tube composite samples are not filtered.

Table 2. Inland Lakes Station Identification.

Field ID	LIS #				Station Description
Lake Joseph					
IJ1	98	0100	201	01	Frazer Is. Pt. Cockburn
IJ2	98	0100	202	01	Hamer Bay
IJ3	98	0100	203	01	Gordon Bay
IJ4	98	0100	204	01	Yoho Island
IJ5	98	0100	205	01	Little Lake Joseph
IJ6	98	0100	206	01	Chief's Island
IJ7	98	0100	207	01	Joseph R. (Riverdale Is.)
IJ8	98	0100	208	01	Badegerow Island
IJ9	98	0100	209	01	Footes Bay
IJ10	98	0100	210	01	Black Forest Is. (Clause Pt.)
IJ11	98	0100	211	01	Cox Bay
Lake Rosseau					
IR1	98	0100	301	01	Cameron Bay (Rosseau)
IR2	98	0100	302	01	Morgan Bay
IR3	98	0100	303	01	Wiley's Bay
IR4	98	0100	304	01	Skeleton Bay
IR5	98	0100	305	01	Rest Harbour
IR6	98	0100	306	01	Tobin Is. (Ravenscrag Pt.)
IR7	98	0100	307	01	Portage Bay
IR8	98	0100	308	01	Brackenrig Bay
IR9	98	0100	309	01	Arthurlie Bay
IR10	98	0100	310	01	Minett (Ouno Is.)
IR11	98	0100	311	01	Venetia Group
IR12	98	0100	312	01	Mutchinbacker Bay

Table 2 (cont'd)

Field ID	LIS #				Station Description
Lake Muskoka					
IM1	98	0100	401	01	Gravenhurst Bay
IM2	98	0100	402	01	South Bay
IM3	98	0100	403	01	Stephens Bay
IM4	98	0100	404	01	Birch Is. (East end)
IM5	98	0100	405	01	Walker's Pt. (Browning Is. W.)
IM6	98	0100	406	01	Pine Needle Pt. - Taylor Is.
IM7	98	0100	407	01	Bala Bay
IM8	98	0100	408	01	Dudley Bay
IM9	98	0100	409	01	North Bay
IM10	98	0100	410	01	East Bay (Morris I-L Rock Is.)
IM11	98	0100	411	01	Crown Is. Pudding Rock
IM12	98	0100	412	01	Mirror Lake
IM13	98	0100	413	01	Muskoka Bay
Lake of Bays					
IB1	98	0100	101	01	Pancake Bay (Johnny Cake B.)
IB2	98	0100	102	01	Trading Bay
IB3	98	0100	103	01	Rabbit Bay
IB4	98	0100	104	01	Ten Mile Bay
IB5	98	0100	105	01	Bigwin Is.
IB6	98	0100	106	01	Haystack Bay
IB7	98	0100	107	01	Dwight Bay
IB8	98	0100	138	01	Portage Bay
IB9	98	0100	109	01	Seagull Rock
IB10	98	0100	110	01	Roothog Is. - Black Pt.
IB11	98	0100	111	01	Whitehouse Bay
IB12	98	0100	112	01	Whiskey Bay

RESULTS

The chemistry summary of each basin (Appendix 2) and each lake (Table 3) are mean volume-weighted epilimnetic data for the period of June to October 1986. The chlorophyll data for each basin (Appendix 2) and each lake (Table 3 and 15) are euphotic zone ice-free 1986 mean values.

A. Nutrient Status of all Lakes

At present, the results show that with the exception of Muskoka and Gravenhurst Bay, the four lakes are representative of oligotrophic lakes in the Canadian Shield. Concentrations of total phosphorus and total Kjeldahl nitrogen ranged from 3.22 to 5.3 $\mu\text{g}\cdot\text{L}^{-1}$, and 170 - 210 $\mu\text{g}\cdot\text{L}^{-1}$ respectively, and chlorophyll-a levels are low 1.4 to 1.9 $\mu\text{g}\cdot\text{L}^{-1}$, (Table 3).

B. Nutrient Status of Gravenhurst Bay

In Muskoka and Gravenhurst Bays, levels of all nutrient status indicators are higher.

The data for phosphorus and chlorophyll levels exists from 1969 to 1986 (Table 3). In Gravenhurst Bay, the mean values of total phosphorus was 44 $\mu\text{g}\cdot\text{L}^{-1}$ and for chlorophyll was 9.8 $\mu\text{g}\cdot\text{L}^{-1}$ (Table 4), before the installation of the sewage treatment plant in 1971. Mean for phosphorus and chlorophyll-a from 1981 to 1986 is 12.9 $\mu\text{g}\cdot\text{L}^{-1}$ and 4.5 $\mu\text{g}\cdot\text{L}^{-1}$, respectively.

Table 3. A summary of 1986 epilimnetic chemistry for each of the study lakes. Values given are means and standard deviation of each parameter measured on each lake.

		Lake Joseph	Lake Rosseau	Lake of Bays	Muskoka including IM1 and IM13	Muskoka excluding IM1 and IM13
ALKTI	mg/L as CaCO ₃	3.16 (0.18)	4.40 (0.19)	3.55 (0.28)	5.17 (0.65)	4.64 (0.43)
Ca	mg/L	3.58 (0.08)	3.64 (0.13)	3.06 (0.12)	3.77 (0.20)	3.56 (0.19)
Cl	mg/L	5.03 (0.08)	3.04 (0.18)	1.63 (0.14)	3.81 (0.23)	3.19 (0.21)
COLTR	True colour	5.39 (1.73)	12.9 (2.16)	10.4 (2.46)	17.3 (3.9)	17.14 (3.70)
Conductivity	µmhos/cm	48.3 (0.37)	42.9 (0.46)	35.98 (0.54)	47.6 (0.82)	43.9 (0.61)
DIC	mg/L (as C)	0.82 (0.10)	1.12 (0.17)	0.91 (0.13)	1.27 (0.17)	1.14 (0.14)
DOC	mg/L (as C)	2.35 (0.14)	2.92 (0.13)	2.88 (0.13)	3.44 (0.17)	3.39 (0.15)
Fe	µg/L	18.7 (14.3)	32.6 (16.71)	35.9 (12.9)	65.1 (29.98)	55.8 (19.6)
F	µg/L	39.2 (1.19)	40.05 (1.19)	39.7 (0.88)	40.2 (1.09)	40.5 (1.0)
K	mg/L	0.59 (0.03)	0.60 (0.02)	0.47 (0.01)	0.62 (0.02)	0.59 (0.02)
Mg	mg/L	0.82 (0.01)	0.87 (0.02)	0.90 (0.02)	0.97 (0.02)	0.93 (0.02)
Na	mg/L	3.14 (0.08)	2.18 (0.04)	1.45 (0.04)	2.74 (0.07)	2.38 (0.06)
NH ₄	µg/L (as N)	9.12 (3.9)	8.64 (3.19)	9.63 (4.9)	13.82 (8.52)	9.89 (3.80)
NO ₃	µg/L (as N)	117.2 (12.9)	190.17 (21.3)	131.9 (27.6)	215.06 (30.5)	213.2 (24.9)
TKN	µg/L (as N)	170.0 (29.0)	190.9 (23.9)	179.5 (26.4)	224.88 (21.1)	210.2 (17.8)
pH		6.75 (0.10)	6.83 (0.08)	6.73 (0.08)	6.82 (0.08)	6.79 (0.07)
Total Phosphorus	µg/L	3.22 (0.63)	4.48 (1.02)	3.83 (0.71)	6.16 (2.8)	5.3 (1.92)
Si	mg/L	0.28 (0.05)	1.03 (0.04)	1.53 (0.07)	1.66 (0.09)	1.75 (0.06)
SO ₄	mg/L (as SO ₄)	8.49 (0.14)	7.41 (0.67)	7.58 (0.39)	7.60 (0.47)	7.43 (0.46)
Acidified Chlorophyll-a	µg/L	1.36 (0.56)	1.01 (0.26)	1.19 (0.27)	1.54 (1.3)	1.03 (0.22)
Chlorophyll-a	µg/L	1.92 (0.55)	1.40 (0.32)	1.67 (0.35)	2.10 (1.44)	1.52 (0.26)
Secchi Depth	m	7.4 (0.91)	6.4 (1.1)	6.3 (0.92)	4.9 (0.81)	5.1 (0.66)

Table 4. The long-term Gravenhurst Bay Total Phosphorus and Chlorophyll-a Data (Dillon, 1978 and K. Nicholls, unpub. data).

	P ($\mu\text{g}\cdot\text{L}^{-1}$)	Chl-a
1969	42	10.6
1970	39	5.1
1971	52	13.8
1972	35	8.1
1973	33	6.9
1974	25	5.0
1975	20	5.0
1978	11.9	3.3
1979	12.7	3.6
1980	20.8	9.7
1981	15.7	3.5
1982	12.8	3.0
1983	16.0	6.1
1984	9.8	4.0
1985	11.3	5.2
1986	11.4	5.3

C. Sampling Site Comparisons

The selection of sampling sites included both the open lake areas and the embayments. When comparing the 1986 data from all of the stations in each lake, the between-station differences in chemistry are small (Note: S.D. data - Table 3). Therefore, a reduction in the number of sampling sites would not alter the integrity of a whole-lake data set. The stations eliminated for the 1987 sampling season include:

1. Lake Muskoka
 - IM2 - South Bay
 - IM5 - Walker's Pt. (Browing Is.)
 - IM7 - Bala Bay
 - IM9 - North Bay
 - IM10 - East Bay (Morris Is. - Rock Is.)
 - IM11 - Crown Is (Pudding Rock)

2. Lake Joseph
 - IJ2 - Hamer Bay
 - IJ4 - Yoho Island
 - IJ8 - Badgerow Is.
 - IJ10 - Black Forest Is.

3. Lake Rosseau
 - IR3 - Wiley's Bay
 - IR5 - Rest Harbour
 - IR6 - Tobin Is. (Ravenscrag Pt.)
 - IR11 - Venetia Group
 - IR12 - Mutchinbacher Bay

4. Lake of Bays
 - IB5 - Bigwin Is.
 - IB6 - Haystack Bay
 - IB9 - Seagull Rock
 - IB10 - Roothog Is. - Black Pt.

D. Dissolved Oxygen

The dissolved oxygen data (Appendix 3) are profiles from each basin. Ten stations have August and September dissolved oxygen data below 5 ppm in their hypolimnion, although only 3 became anoxic in 1986 - Gravenhurst Bay, Muskoka Bay (Lake Muskoka) and Pancake Bay (Lake of Bays). The other seven are small enclosed embayments. These stations were:

1. Lake Muskoka

- Gravenhurst Bay
- Pine Needle Pt. (Taylor Is.)
- Dudley Bay
- Muskoka Bay

Lake Rosseau

- Cameron Bay (at Rosseau)
- Birch Is. - (East end) Skeleton Bay

Lake Joseph

- Little Lake Joseph
- Chief's Island
- Joseph River (Riverdale Is.)

Lake of Bays

- Pancake Bay

Each of these sites is a part of the 1987 sampling program.

E. Alkalinity - Lake of Bays

The Lake of Bays is classified as moderately sensitive ($50\text{-}200 \mu\text{eq}\bullet\text{L}^{-1}$) to acidic deposition. The t-test statistic ($p = 0.016$) indicates a significant difference between mean alkalinity measured in 1982 and 1986. The 1982 mean data is higher and can be explained by the two different sampling methods.

Lake of Bays was sampled at 9 sites on one occasion in July 1982. The epilimnetic alkalinity of $61.4 \mu\text{eq}\cdot\text{L}^{-1}$ (DRC, unpub. data) was determined as the mean of all samples. The value for 1936 ($70.9 \mu\text{eq}\cdot\text{L}^{-1}$) represents the mean of 5 observations made between June and October at 12 sampling sites.

F. Filamentous Algae (*Zygnema*, sp.)

The survey of these lakes in August 1986 (M. Jackson, pers. comm.) found the filamentous algae (*Zygnema*, sp.) in three basins only on the Lake of Bays. These bays, Pancake, Trading and Rabbit, are the most eastern three basins (Appendix 1, Figure 4). This is the first documentation of this algae species in the Lake of Bays. The algae is considered to be an early biotic indicator of acidification (Schindler *et al.* - 1985).

G. Sampling Method Comparisons

Gravenhurst Bay was sampled by both the volume-weighted and the tube composite methods. The tube composite samples were collected from 0-6 m or 0-8 m (the euphotic zone) and were not filtered. The comparable volume-weighted data were obtained from filtered, epilimnetic samples. The epilimnetic depth ranged from 0-4 to 0-6 m during the 1986 ice-free season. To determine if the volume-weighted samples are comparable to the 1986 tube composite data and, therefore, all previously collected samples, the data was analyzed both by regression (Table 5) and by a paired t-test (Table 6).

The comparison of the data with the paired t-test indicates that only F, NH_4 , NO_3 , and TP have significant differences in the means for the two types of data collection. For total phosphorus, ammonium and nitrate, the mean tube composite data is higher than the volume-weighted data. For each of these parameters, however, a highly significant ($p < 0.01$) regression indicates a strong relationship between values obtained by each sampling technique. For F, NO_3 , and NH_4 , the two methods are highly correlated ($r > 0.9$). Slopes of near unity and low values for the Standard Error of Estimation (S.E.E.) made by the regression indicate that between method

differences are small and correctable. For TP, a lower correlation ($r = 0.7$) and slope and a greater (S.E.E.), indicate consistent and large differences attributable to sampling techniques, which is shown as a higher mean value for the tube composite (Tc) samples. This bias only shows up for TP and may be partially explained by the fact that the Tc samples are unfiltered.

The linear regression data (Table 5) suggests that data collected by the two methods for Ca, DOC, Mg and pH are not consistently related. For each of these parameters, however, the t-test shows no significant difference in the mean values and the lack of a significant regression may only indicate that for each of these parameters, the data are scattered in a very narrow range.

Table 5. Gravenhurst Bay - volume-weighted epilimnion data and tube composite data: a test for linearity.

Parameter	\bar{x}_{tc}	\bar{x}_{vw}	Correlation Coefficient	Slope	Standard Error of the Estimate	Significance of the Regression ¹
ALKTI	8.84	8.26	0.605	1.84	0.767	*
Ca	5.227	5.234	0.456	0.339	0.220	--
Cl	7.705	7.750	0.952	1.18	0.127	***
COLTR	18.917	18.167	0.811	1.18	0.269	**
COND25	70.658	70.600	0.883	1.24	0.208	***
DIC	2.146	2.112	0.856	0.999	0.191	***
DOC	3.673	3.755	0.569	0.464	0.223	--
Fe	102.17	117.08	0.832	0.879	0.186	***
F	38.12	38.71	0.901	1.047	0.159	***
K	0.889	0.885	0.938	1.019	0.125	***
Mg	1.208	1.213	0.585	0.476	0.220	--
Na	5.045	5.065	0.899	1.119	0.181	***
NH ₄	47.50	41.17	0.986	0.973	0.051	***
NO ₃	269.42	254.0	0.944	0.846	0.093	***
TKN	342.73	319.09	0.833	0.761	0.168	**
pH	6.895	6.995	0.243	-0.378	0.477	--
phosphorus	11.43	9.86	0.708	0.440	0.132	**
Si	1.169	1.136	0.977	0.817	0.060	***
SO ₄	8.70	8.64	0.883	1.051	0.186	***
CHI- <i>a</i>	5.32	5.21	0.961	0.980	0.105	***

¹ Significance of the slope criteria:

-- p>0.05 - not significant

* p<0.05

** p<0.01

*** p<0.001

Table 6. Gravenhurst Bay - Tube composite - Volume-weighted data comparison by the paired t-test statistical analysis.

Parameter	p-Value ¹	¹ Mean of the Difference	Standard Deviation
ALKTI	0.38	-0.57	2.19
Ca	0.90	0.007	0.191
Cl	0.31	0.045	0.142
COLTR	0.44	-0.075	3.22
COND25	0.88	-0.058	1.3
DIC	0.50	-0.034	0.171
DOC	0.15	-0.082	0.172
Fe	0.27	14.92	44.75
F	0.023	0.59	0.78
K	0.38	-0.005	0.016
Mg	0.71	0.005	0.039
Na	0.47	0.020	0.088
NH ₄	0.011	-6.3	7.12
NO ₃	0.105	-15.4	30.3
TKN	0.011	-23.6	25.0
pH	0.086	0.10	0.18
Phosphorus	0.001	-1.56	1.40
Si	0.18	-0.033	0.076
SO ₄	0.48	-0.055	0.248

¹ If $p > 0.05$, there is no significant difference in the data sets
If $p < 0.05$, there is a significant difference (ie. F, NH₄, NO₃, P)

CONCLUSIONS

The chemical data collected in 1986 indicate that the four lakes are oligotrophic with low nutrient and chlorophyll levels with the exception of specific embayments. Many of the stations within each lake are similar chemically. Therefore, a reduction in the number of basins sampled is planned.

The sampling of Gravenhurst and Muskoka Bays should continue because of the discharge of effluent into the lake from the Gravenhurst Sewage Treatment Plant has increased the nutrient levels.

Hypolimnetic depletion of dissolved oxygen was observed in only 10 of the 48 basins. Most of these 10 sites were small embayments and so anoxia was considered to be induced by the morphometric shape and depth of these embayments, and not by excess nutrient input.

All of the lakes were classified as moderately sensitive to acidic deposition on the basis of alkalinity measurements of 60-200 $\mu\text{eq/L}$.

Filamentous algae (*Zygnema*, sp.) appeared in three bays of the Lake of Bays in August 1986.

Comparison of volume weighted and tube composite methods of epilimnion sampling indicated only minor differences between the two methods, and so the volume weighted methodology was retained for future surveys.

The lakes can be characterized with fewer sampling locations. Therefore, 26 sampling sites were retained for further sampling in 1987 and 1988.

REFERENCES

- Locke, B.A. and L.D. Scott. 1986. Studies of lakes and watersheds in Muskoka-Haliburton, Ontario: Methodology (1976-1985). Ont. Min. Envir. Data Report DR 86/4.
- Dillon, P.J., K.H. Nicholls and G.W. Robinson. 1978. Phosphorus removal at Gravenhurst Bay, Ontario: an 8-year study on water quality changes. *Verh. Internat. Verein Limnol.* 20:263-271.
- Wetzel, R.G. 1975. *Limnology*. W.B. Saunders Co. 743 pp.
- O.M.E. 1981. Outlines of analytical methods. Ont. Min. Envir., Laboratory Services Branch, June, 1981. 246 pp.
- O.M.E. 1986. Estimation of the presence and impact of filamentous and odour-producing algae: A survey of cottagers on 214 Ontario Recreation Lakes. SPR Assoc. Inc., Nat'l Mail Surveys Inc., Toronto. Dec. 17, 1986.
- Schindler, D.W., K.H. Mills, D.F. Malley, D.L. Findlay, J.A. Shearer, I.J. Davies, M.A. Turner, G.A. Lindsey, D.R. Cruikshank. 1985.
- Long-term Ecological Stress: The Effects of Years of Experimental Acidification on a Small Lake. *Science* Vol. 228:1395-1401.

Appendix 1. 1986 Sampling Locations and Lake Morphometry

Sampling Locations

- Figure 1. Lake Muskoka
2. Lake Joseph
3. Lake Rosseau
4. Lake of Bays

Lake Morphometry

- Table 7. Lake Muskoka
8. Lake Joseph
9. Lake Rosseau
10. Lake of Bays




Figure 1. Lake Muskoka — 1986 Sampling Sites.

Table 7. Lake Muskoka: Mean depth, area and volume estimates for each of the 13 sampling stations.

Station#	Name	\bar{z} (m)	Ao (ha)	Volume (m ³ x 10 ⁵)
1	Gravenhurst Bay	9.76	179.40	175.00
2	South Bay	8.43	507.50	427.70
3	Stephens Bay	7.30	75.18	54.86
4	Birch Is. (East end)	6.27	782.20	490.30
5	Walker's Pt.	19.00	2083.00	3957.00
6	Pine Needle Pt.	4.93	128.30	63.26
7	Bala Bay	9.47	611.40	579.10
8	Dudley Bay	7.63	362.20	276.40
9	North Bay	10.67	1134.00	1210.00
10	East Bay	17.47	741.40	1295.00
11	Crown Is.	24.68	2096.00	5174.00
12	Mirror Lake	2.68	52.48	14.08
13	Muskoka Bay	7.09	241.20	170.90




Figure 2. Lake Joseph — 1986 Sampling Sites.

Table 8. Lake Joseph: Maximum depth, area and volume estimates for each of the 11 sampling stations.

Station#	Name	\bar{z} (m)	Ao (ha)	Volume (m ³ x 10 ⁵)
1	Frazer Is.	10.04	78.15	78.47
2	Hamer Bay	17.29	119.00	205.58
3	Gordon Bay	11.98	102.50	122.70
4	Yoho Is.	35.74	1791.00	6399.00
5	Little Lake Joseph	15.48	304.10	470.80
6	Chief's Is.	8.54	245.10	209.40
7	Joseph R.	3.25	77.17	25.08
8	Badgerow Is.	16.69	526.40	878.70
9	Footes Bay	15.74	250.80	394.70
10	Black Forest Is.	10.83	438.00	474.50
11	Cox Bay	6.83	190.10	129.90




Figure 3. Lake Rosseau — 1986 Sampling Sites.

Table 9. Lake Rosseau: Maximum depth, area and volume estimates for each of the 12 sampling stations.

Station#	Name	\bar{z} (m)	Ao (ha)	Volume (m ³ x 10 ⁵)
1	Cameron Bay	6.89	95.72	65.98
2	Morgan Bay	11.32	265.20	300.10
3	Wiley's Bay	9.56	37.57	35.93
4	Skeleton Bay	9.59	177.80	170.50
5	Rest Harbour	11.01	140.90	155.10
6	Tobin Is.	16.11	1281.00	2064.00
7	Portage Bay	6.54	149.70	98.00
8	Brackenrig Bay	1.87	43.75	8.19
9	Arthurlie Bay	4.81	11.20	53.53
10	Minette (Ouno Is.)	6.47	126.40	81.72
11	Venetia Group	22.79	1225.00	2792.00
12	Mutchinbaker Bay	37.22	1809.00	6731.00




Figure 4. Lake of Bays — 1986 Sampling Sites.

Table 10. Lake of Bays: Maximum depth, area and volume estimates for each of the 12 sampling stations.

Station#	Name	\bar{z} (m)	Ao (ha)	Volume (m ³ x 10 ⁵)
1	Pancake Bay	4.54	69.89	31.75
2	Trading Bay	18.73	425.70	797.20
3	Rabbit Bay	10.63	72.52	77.06
4	Ten Mile Bay	13.34	779.30	1039.00
5	Bigwin Is.	17.70	652.60	1155.00
6	Haystack Bay	12.52	245.00	306.80
7	Dwight Bay	22.27	649.60	1447.00
8	Portage Bay	14.53	173.60	252.20
9	Seagull Pk.	28.17	902.70	2543.00
10	Roothog Is.	26.43	1675.00	4428.00
11	Whitehouse Bay	18.99	402.70	764.50
12	Whiskey Bay	26.62	812.20	2162.00

Appendix 2. Volume-weighted epilimnetic mean chemistry.

Chemistry

- Table 11. Lake Muskoka
12. Lake Joseph
13. Lake Rosseau
14. Lake of Bays

Chlorophyll

- Table 15. Mean data for 4 lakes

Table 11. Lake Muskoka 1986 Epilimnetic Volume Weighted Mean Chemistry.

STATION	pH	ALKT mg/L as CaCO ₃	ALKTI	DIC mg/L as C
IM1	7.00 (0.138)	9.95 2.425	8.29 2.396	2.08 0.316
IM2	6.84 (0.006)	6.16 (0.237)	4.52 (0.178)	1.11 (0.207)
IM3	6.85 (0.063)	7.20 (1.929)	5.55 (1.929)	1.10 (0.189)
IM4	6.80 (0.079)	6.44 (0.539)	4.80 (0.555)	1.13 (0.144)
IM5	6.71 (0.173)	6.12 (0.388)	4.45 (0.259)	1.20 (0.217)
IM6	6.80 (0.034)	6.26 (0.265)	4.62 (0.264)	1.14 (0.102)
IM7	6.75 (0.028)	6.12 (0.212)	4.46 (0.155)	1.12 (0.071)
IM8	6.80 (0.050)	6.24 (0.358)	4.56 (0.263)	1.26 (0.305)
IM9	6.80 (0.074)	6.04 (0.252)	4.39 (0.190)	1.06 (0.087)
IM10	6.82 (0.091)	6.00 (0.337)	4.39 (0.154)	1.05 (0.078)
IM11	6.76 (0.082)	6.13 (0.238)	4.45 (0.177)	1.10 (0.107)
IM12	6.80 (0.110)	6.52 (0.648)	4.85 (0.578)	1.24 (0.054)
IM13	6.98 (0.098)	9.51 (1.351)	7.84 (1.299)	1.91 (0.271)
	Ca mg/L	Mg mg/L	Na mg/L	K mg/L
IM1	5.18 (0.221)	1.20 (0.040)	5.03 (0.188)	0.88 (0.044)
IM2	3.54 (0.094)	0.95 (0.013)	2.45 (0.022)	0.58 (0.008)
IM3	3.59 (0.187)	0.94 (0.016)	2.43 (0.036)	0.59 (0.014)
IM4	3.51 (0.113)	0.96 (0.019)	2.35 (0.083)	0.58 (0.015)
IM5	3.35 (0.340)	0.92 (0.037)	2.35 (0.037)	0.58 (0.017)
IM6	3.53 (0.200)	0.94 (0.010)	2.45 (0.078)	0.58 (0.019)
IM7	3.60 (0.200)	0.93 (0.022)	2.38 (0.047)	0.58 (0.015)
IM8	3.61 (0.174)	0.94 (0.017)	2.43 (0.058)	0.59 (0.017)
IM9	3.62 (0.155)	0.94 (0.014)	2.36 (0.072)	0.59 (0.019)
IM10	3.53 (0.218)	0.94 (0.013)	2.38 (0.094)	0.59 (0.025)
IM11	3.53 (0.167)	0.94 (0.012)	2.33 (0.048)	0.58 (0.013)
IM12	3.70 (0.286)	0.89 (0.022)	2.27 (0.034)	0.62 (0.024)
IM13	4.75 (0.221)	1.14 (0.030)	4.44 (0.102)	0.80 (0.040)
	&PPUT µg/L	NH ₄ µg/L	NO ₃ µg/L	TKN µg/L
IM1	9.86 (1.22)	38.93 (39.88)	256.64 75.453	320.00 (36.374)
IM2	4.99 (0.63)	10.25 (2.50)	222.50 20.616	217.50 (17.078)
IM3	5.25 (1.05)	11.75 (2.75)	226.25 19.311	205.00 (17.321)
IM4	6.65 (0.77)	11.50 (4.65)	202.50 21.016	225.00 (19.149)
IM5	4.79 (0.68)	9.50 (2.38)	226.25 24.958	190.00 (34.641)
IM6	8.05 (6.58)	10.25 (4.86)	201.25 26.887	220.00 (0.000)
IM7	7.27 (6.85)	10.00 (2.45)	217.50 26.300	200.00 (8.165)
IM8	3.60 (0.78)	9.50 (4.20)	210.00 26.771	225.00 (25.166)
IM9	3.50 (0.45)	7.25 (2.75)	221.25 24.958	217.50 (12.583)
IM10	4.60 (1.60)	8.50 (3.42)	218.75 22.127	200.00 (24.495)
IM11	4.62 (0.87)	10.25 (4.92)	216.25 14.930	212.50 (12.583)
IM12	4.98 (0.83)	10.00 (6.93)	182.50 46.278	200.00 (24.495)
IM13	9.26 (3.2)	32.00 (29.07)	194.09 47.477	290.91 (42.061)
	COLTR (Hazen)	DOC mg/L as C	COND25 µS	FE mg/L
IM1	18.57 (5.064)	3.79 (0.17)	70.49 (2.442)	108.93 (75.68)
IM2	16.00 (4.243)	3.43 (0.10)	44.40 (0.383)	50.75 (13.83)
IM3	16.50 (3.697)	3.38 (0.17)	44.22 (0.263)	50.75 (14.91)
IM4	23.25 (7.411)	3.75 (0.40)	43.53 (1.394)	132.5 (32.02)
IM5	19.50 (1.291)	3.63 (0.40)	43.10 (1.249)	61.25 (18.14)
IM6	19.25 (2.500)	3.40 (0.00)	44.28 (0.403)	68.00 (36.94)
IM7	14.75 (5.123)	3.35 (0.10)	43.97 (0.189)	38.75 (15.00)
IM8	15.00 (3.916)	3.38 (0.10)	44.00 (0.356)	37.00 (17.96)
IM9	15.00 (1.414)	3.33 (0.05)	43.75 (0.265)	42.00 (20.18)
IM10	18.00 (2.582)	3.38 (0.10)	43.63 (0.486)	37.75 (8.958)
IM11	20.75 (1.708)	3.40 (0.12)	43.78 (0.450)	49.75 (18.37)
IM12	10.50 (6.807)	2.90 (0.16)	44.88 (1.266)	45.00 (18.99)
IM13	18.18 (4.956)	3.66 (0.28)	64.14 (1.531)	123.82 (98.86)

Table 11. Lake Muskoka Data continued

	Cl mg/L	SO ₄ mg/L	Si mg/L	F µg/L
IM1	7.69 (0.407)	8.69 (0.502)	1.15 (0.227)	38.81 (1.671)
IM2	3.34 (0.160)	7.30 (0.659)	1.84 (0.082)	40.35 (1.072)
IM3	3.31 (0.193)	6.82 (0.760)	1.84 (0.079)	41.33 (1.403)
IM4	3.11 (0.125)	7.58 (0.282)	1.88 (0.083)	41.55 (1.258)
IM5	3.10 (0.212)	7.57 (0.344)	1.83 (0.055)	40.33 (0.763)
IM6	3.30 (0.204)	7.59 (0.303)	1.81 (0.058)	40.00 (0.693)
IM7	3.18 (0.194)	7.62 (0.396)	1.83 (0.044)	40.10 (1.158)
IM8	3.20 (0.274)	7.55 (0.366)	1.82 (0.057)	40.10 (0.616)
IM9	3.11 (0.246)	7.60 (0.241)	1.83 (0.058)	40.13 (1.184)
IM10	3.14 (0.266)	7.52 (0.209)	1.82 (0.054)	40.30 (0.766)
IM11	3.18 (0.185)	7.26 (0.807)	1.80 (0.057)	40.55 (0.759)
IM12	3.18 (0.290)	7.30 (0.732)	1.01 (0.070)	40.78 (1.269)
IM13	6.69 (0.164)	8.32 (0.493)	1.16 (0.214)	38.85 (1.605)

Table 12. Lake Joseph 1986 Epilimnetic Volume Weighted Mean Chemistry.

STATION	pH	ALKT		ALKTI	DIC
		mg/L as CaCO ₃			mg/L as C
IJ1	6.73 (0.110)	4.60 (0.316)		2.86 (0.146)	0.72 (0.074)
IJ2	6.73 (0.050)	4.63 (0.158)		2.81 (0.182)	0.73 (0.076)
IJ3	6.75 (0.093)	4.72 (0.208)		2.96 (0.111)	0.77 (0.101)
IJ4	6.69 (0.068)	4.54 (0.306)		2.85 (0.240)	0.74 (0.057)
IJ5	6.88 (0.116)	5.37 (0.254)		3.74 (0.127)	0.88 (0.112)
IJ6	6.77 (0.088)	4.74 (0.234)		3.10 (0.166)	0.77 (0.074)
IJ7	6.71 (0.099)	5.90 (0.399)		4.26 (0.263)	1.24 (0.115)
IJ8	6.78 (0.140)	4.62 (0.281)		2.98 (0.202)	0.74 (0.052)
IJ9	6.77 (0.106)	4.60 (0.281)		2.95 (0.136)	0.88 (0.211)
IJ10	6.72 (0.098)	4.69 (0.317)		3.01 (0.162)	0.75 (0.091)
IJ11	6.77 (0.090)	4.94 (0.263)		3.23 (0.239)	0.81 (0.109)
STATION	Ca	Mg	Na	K	
	mg/L	mg/L	mg/L	mg/L	
IJ1	3.66 (0.056)	0.81 (0.006)	3.30 (0.133)	0.64 (0.110)	
IJ2	3.66 (0.032)	0.81 (0.010)	3.24 (0.055)	0.58 (0.021)	
IJ3	3.66 (0.040)	0.81 (0.000)	3.52 (0.095)	0.58 (0.029)	
IJ4	3.52 (0.086)	0.80 (0.012)	3.29 (0.029)	0.60 (0.023)	
IJ5	3.53 (0.064)	0.83 (0.005)	2.54 (0.039)	0.58 (0.027)	
IJ6	3.54 (0.082)	0.82 (0.013)	3.12 (0.104)	0.59 (0.027)	
IJ7	3.59 (0.086)	0.84 (0.013)	2.60 (0.083)	0.59 (0.007)	
IJ8	3.54 (0.067)	0.81 (0.006)	3.23 (0.095)	0.60 (0.010)	
IJ9	3.54 (0.089)	0.81 (0.006)	3.29 (0.064)	0.59 (0.032)	
IJ10	3.56 (0.180)	0.81 (0.023)	3.26 (0.040)	0.58 (0.029)	
IJ11	3.54 (0.117)	0.83 (0.020)	3.17 (0.091)	0.60 (0.029)	
STATION	&PPUT	NH ₄	NO ₃	TKN	
	µg/L	µg/L	µg/L	µg/L	
IJ1	2.42 (0.506)	6.00 (1.732)	139.33 (4.041)	143.33 (15.27) 5	
IJ2	2.43 (0.988)	10.67 (6.429)	139.00 (1.000)	146.67 (40.41) 5	
IJ3	2.95 (0.000)	6.67 (1.528)	121.33 (6.110)	153.33 (25.16) 6	
IJ4	2.58 (0.382)	14.33 (3.512)	141.67 (10.408)	153.33 (23.09) 4	
IJ5	4.26 (0.368)	8.00 (5.033)	30.00 (19.579)	220.00 (62.18) 3	
IJ6	3.47 (0.802)	8.50 (2.517)	106.50 (21.205)	172.50 (25.00) 0	
IJ7	5.26 (1.240)	16.00 10.198	89.00 (33.076)	250.00 (66.83) 3	
IJ8	2.58 (0.813)	9.67 (5.033)	131.33 (7.767)	153.33 (23.09) 4	
IJ9	2.65 (1.114)	7.67 (2.887)	133.33 (7.638)	153.33 (15.27) 5	
IJ10	3.10 (0.350)	6.33 (2.082)	124.33 (4.041)	146.67 (5.774)	
IJ11	3.71 (0.354)	6.50 (1.915)	133.75 (27.573)	177.50 (17.07) 8	
STATION	COLTR	DOC	COND25	FE	
	(Hazen)	mg/L as C	µS	mg/L	
IJ1	4.67 (2.082)	2.07 (0.06)	49.00 (0.100)	19.000 (17.05) 9	
IJ2	4.33 (1.528)	2.10 (0.10)	49.23 (0.115)	10.333 (7.572)	
IJ3	5.00 (2.000)	2.17 (0.06)	50.53 (0.493)	16.333 (12.66) 2	
IJ4	3.33 (0.577)	2.30 (0.26)	48.50 (1.136)	10.000 (1.000)	
IJ5	6.25 (2.217)	2.90 (0.14)	44.40 (0.424)	14.750 (3.096)	
IJ6	3.75 (0.957)	2.30 (0.08)	48.68 (0.275)	24.750 (25.38) 2	
IJ7	17.25 (5.737)	3.05 (0.44)	44.80 (0.337)	57.250 (45.22) 1	
IJ8	2.33 (0.577)	2.20 (0.10)	49.17 (0.153)	10.667 (7.371)	
IJ9	3.00 (1.000)	2.20 (0.10)	49.27 (0.153)	6.333 (2.309)	
IJ10	4.33 (1.528)	2.23 (0.12)	48.90 (0.346)	24.333 (26.85) 8	
IJ11	5.00 (0.816)	2.30 (0.08)	49.03 (0.486)	12.250 (8.342)	

Table 12. Lake Joseph 1986 Data continued.

	Cl mg/L	SO ₄ mg/L	Si mg/L	F µg/L
IJ1	5.30 (0.071)	8.53 (0.180)	0.23 (0.031)	38.23 (1.106)
IJ2	5.30 (0.071)	8.73 (0.074)	0.23 (0.031)	37.87 (1.007)
IJ3	5.68 (0.189)	8.54 (0.107)	0.21 (0.042)	38.93 (1.007)
IJ4	5.28 (0.035)	8.62 (0.035)	0.24 (0.035)	38.10 (1.652)
IJ5	3.92 (0.104)	8.21 (0.115)	0.25 (0.041)	42.53 (0.877)
IJ6	5.07 (0.058)	8.59 (0.101)	0.28 (0.053)	39.33 (0.759)
IJ7	3.88 (0.194)	7.96 (0.206)	0.58 (0.147)	41.20 (1.092)
IJ8	5.28 (0.035)	8.64 (0.121)	0.26 (0.035)	37.63 (1.914)
IJ9	5.35 (0.000)	8.62 (0.147)	0.26 (0.035)	39.07 (1.422)
IJ10	5.27 (0.029)	8.48 (0.111)	0.26 (0.020)	39.23 (0.681)
IJ11	4.97 (0.076)	8.43 (0.379)	0.34 (0.038)	39.13 (1.559)

Table 13. Lake Rosseau 1986 Epilimnetic Volume Weighted Mean Chemistry.

STATION	pH	ALKT	ALKTI	DIC
		mg/L as CaCO ₃		mg/L as C
IR1	6.81 (0.120)	6.03 (0.205)	4.35 (0.099)	1.06 (0.087)
IR2	6.79 (0.068)	6.00 (0.297)	4.37 (0.265)	1.27 (0.410)
IR3	6.85 (0.084)	5.96 (0.242)	4.31 (0.219)	1.04 (0.101)
IR4	6.82 (0.090)	6.19 (0.162)	4.53 (0.145)	1.13 (0.112)
IR5	6.84 (0.107)	5.96 (0.259)	4.24 (0.202)	1.05 (0.092)
IR6	6.84 (0.106)	6.01 (0.186)	4.30 (0.164)	1.36 (0.458)
IR7	6.88 (0.057)	6.07 (0.200)	4.34 (0.164)	1.05 (0.111)
IR8	6.84 (0.034)	6.93 (0.235)	5.17 (0.177)	1.34 (0.155)
IR9	6.86 (0.074)	6.08 (0.227)	4.35 (0.179)	1.07 (0.097)
IR10	6.82 (0.050)	5.83 (0.333)	4.19 (0.246)	1.04 (0.079)
IR11	6.80 (0.057)	5.93 (0.279)	4.26 (0.181)	0.98 (0.242)
IR12	6.85 (0.092)	5.97 (0.265)	4.35 (0.218)	1.06 (0.060)
STATION	Ca	Mg	Na	K
	mg/L			
IR1	3.54 (0.226)	0.86 (0.022)	2.19 (0.019)	0.59 (0.017)
IR2	3.63 (0.070)	0.86 (0.015)	2.16 (0.046)	0.59 (0.026)
IR3	3.54 (0.151)	0.86 (0.038)	2.17 (0.038)	0.59 (0.005)
IR4	3.74 (0.147)	0.88 (0.030)	2.18 (0.052)	0.58 (0.044)
IR5	3.62 (0.184)	0.86 (0.010)	2.18 (0.028)	0.60 (0.010)
IR6	3.70 (0.196)	0.87 (0.010)	2.18 (0.060)	0.59 (0.000)
IR7	3.68 (0.161)	0.87 (0.017)	2.16 (0.022)	0.60 (0.000)
IR8	3.76 (0.069)	0.91 (0.027)	2.20 (0.016)	0.63 (0.019)
IR9	3.70 (0.129)	0.87 (0.008)	2.19 (0.025)	0.60 (0.010)
IR10	3.59 (0.037)	0.86 (0.013)	2.20 (0.048)	0.59 (0.034)
IR11	3.60 (0.086)	0.86 (0.017)	2.20 (0.041)	0.63 (0.056)
IR12	3.58 (0.100)	0.85 (0.026)	2.18 (0.024)	0.59 (0.022)
STATION	&PPUT	NH ₄	NO ₃	TKN
	µg/L			
IR1	4.39 (1.01)	8.50 (2.65)	197.50 (15.5)	195.00 (19.15)
IR2	3.73 (0.56)	5.67 (2.08)	193.33 (18.3)	173.33 (30.55)
IR3	3.40 (0.41)	7.75 (2.87)	202.50 (17.6)	200.00 (45.46)
IR4	4.09 (0.78)	9.00 (5.60)	192.50 (18.8)	195.00 (12.91)
IR5	3.65 (0.62)	7.50 (4.65)	205.00 (21.1)	190.00 (16.33)
IR6	2.98 (0.08)	8.00 (4.24)	202.50 (18.8)	207.50 (12.58)
IR7	3.95 (0.31)	8.75 (3.95)	191.25 (20.6)	187.50 (20.62)
IR8	9.31 (1.10)	16.25 (0.96)	101.25 (52.4)	235.00 (34.16)
IR9	4.15 (0.58)	9.75 (4.03)	195.00 (23.1)	185.00 (28.87)
IR10	3.40 (0.46)	7.25 (2.06)	201.25 (22.3)	175.00 (12.91)
IR11	3.90 (0.39)	7.50 (2.38)	201.25 (13.7)	167.50 (23.63)
IR12	6.78 (5.89)	7.75 (2.75)	198.75 (13.7)	180.00 (29.44)
STATION	COLTR	DOC	COND25	FE
	(Hazen)	mg/L as C		mg/L
IR1	17.00 (5.416)	3.13 (0.13)	42.67 (0.369)	49.25 (27.77)
IR2	13.33 (2.082)	2.90 (0.10)	42.43 (0.503)	46.00 (31.43)
IR3	14.25 (2.062)	2.95 (0.10)	42.80 (0.183)	21.75 (6.85)
IR4	13.75 (2.062)	2.90 (0.08)	43.55 (0.129)	36.00 (10.71)
IR5	12.25 (0.500)	2.93 (0.10)	42.88 (0.222)	19.25 (7.04)
IR6	11.25 (0.957)	2.83 (0.21)	43.00 (0.231)	18.00 (9.70)
IR7	10.50 (3.697)	2.88 (0.13)	43.15 (0.173)	18.50 (7.55)
IR8	14.00 (3.266)	3.00 (0.08)	43.95 (0.480)	96.00 (66.51)
IR9	11.25 (1.258)	2.85 (0.10)	42.60 (1.200)	17.50 (5.20)
IR10	11.50 (1.291)	2.85 (0.06)	42.83 (0.359)	13.75 (4.86)
IR11	11.75 (1.708)	2.80 (0.18)	42.55 (0.520)	17.25 (7.50)
IR12	14.00 (1.633)	3.00 (0.29)	42.08 (1.153)	37.75 (15.41)

Table 13. Lake Rosseau 1986 Data continued.

	Cl mg/L	SO ₄ mg/L	Si mg/L	F µg/L
IR1	3.06 (0.111)	7.48 (0.679)	1.07 (0.038)	40.73 (1.466)
IR2	3.03 (0.161)	7.41 (0.636)	1.03 (0.012)	41.27 (1.007)
IR3	3.03 (0.096)	7.39 (1.013)	1.04 (0.010)	40.28 (0.991)
IR4	3.07 (0.104)	7.33 (0.860)	1.01 (0.020)	40.68 (0.885)
IR5	3.00 (0.071)	7.35 (0.944)	1.05 (0.035)	39.50 (0.683)
IR6	3.02 (0.759)	7.56 (0.380)	1.00 (0.028)	39.15 (1.718)
IR7	3.00 (0.212)	7.43 (0.648)	1.04 (0.043)	39.38 (0.862)
IR8	3.09 (0.025)	7.61 (0.599)	1.00 (0.174)	40.33 (1.522)
IR9	3.05 (0.204)	7.60 (0.462)	1.03 (0.042)	38.98 (1.269)
IR10	3.15 (0.041)	7.24 (0.843)	1.02 (0.028)	40.10 (0.879)
IR11	3.07 (0.225)	7.50 (0.281)	1.02 (0.034)	39.53 (1.234)
IR12	2.90 (0.183)	7.06 (0.748)	1.03 (0.019)	40.68 (1.704)

Table 14. Lake of Bays 1986 Epilimnetic Volume Weighted Mean Chemistry.

STATION	pH	ALKT	ALKTI	DIC
		mg/L as CaCO ₃		mg/L as C
IB1	6.81 (0.120)	6.03 (0.205)	4.35 (0.099)	1.06 (0.087)
IB2	6.76 (0.089)	5.07 (0.336)	3.42 (0.351)	0.92 (0.131)
IB3	6.77 (0.094)	5.16 (0.373)	3.50 (0.329)	0.89 (0.123)
IB4	6.70 (0.025)	5.37 (0.459)	3.62 (0.314)	0.94 (0.132)
IB5	6.74 (0.097)	5.19 (0.420)	3.51 (0.319)	0.91 (0.162)
IB6	6.76 (0.056)	5.33 (0.400)	3.63 (0.250)	0.91 (0.103)
IB7	6.67 (0.084)	5.23 (0.535)	3.56 (0.393)	0.94 (0.158)
IB8	6.71 (0.054)	5.19 (0.304)	3.55 (0.281)	0.89 (0.126)
IB9	6.70 (0.054)	5.06 (0.374)	3.39 (0.308)	0.85 (0.123)
IB10	6.74 (0.045)	4.99 (0.297)	3.35 (0.245)	0.85 (0.114)
IB11	6.69 (0.071)	5.04 (0.269)	3.37 (0.188)	0.88 (0.107)
IB12	6.64 (0.106)	4.96 (0.329)	3.30 (0.283)	0.89 (0.137)
	Ca	Mg	Na	K
	mg/L	mg/L	mg/L	mg/L
IB1	3.54 (0.226)	0.86 (0.022)	2.19 (0.019)	0.59 (0.017)
IB2	2.82 (0.189)	0.86 (0.033)	1.21 (0.058)	0.44 (0.019)
IB3	2.89 (0.069)	0.87 (0.019)	1.38 (0.055)	0.45 (0.013)
IB4	2.95 (0.054)	0.92 (0.025)	1.40 (0.029)	0.46 (0.013)
IB5	3.03 (0.087)	0.91 (0.017)	1.36 (0.017)	0.46 (0.016)
IB6	2.89 (0.129)	0.92 (0.032)	1.37 (0.022)	0.47 (0.013)
IB7	3.02 (0.058)	0.90 (0.030)	1.49 (0.074)	0.45 (0.013)
IB8	3.05 (0.066)	0.90 (0.026)	1.42 (0.032)	0.45 (0.013)
IB9	2.93 (0.172)	0.89 (0.010)	1.43 (0.039)	0.45 (0.010)
IB10	2.96 (0.045)	0.90 (0.013)	1.39 (0.026)	0.46 (0.015)
IB11	3.00 (0.119)	0.91 (0.021)	1.38 (0.024)	0.47 (0.005)
IB12	2.99 (0.177)	0.91 (0.025)	1.38 (0.043)	0.46 (0.005)
	&PPUT	NH ₄	NO ₃	TKN
	µg/L	µg/L	µg/L	µg/L
IB1	4.39 (1.01)	8.50 (2.65)	197.50 (15.55)	195.00 (19.149)
IB2	3.82 (0.51)	8.80 (3.63)	93.00 (33.02)	182.50 (17.078)
IB3	4.23 (0.44)	9.00 (5.87)	73.40 (31.93)	180.00 (33.912)
IB4	3.96 (0.95)	12.50 (3.42)	118.00 (24.55)	180.00 (27.080)
IB5	3.83 (0.61)	11.25 (7.93)	141.25 (26.58)	177.50 (41.932)
IB6	3.94 (0.31)	7.00 (2.94)	117.50 (26.30)	180.00 (14.142)
IB7	3.74 (1.53)	11.75 (5.80)	130.00 (24.83)	200.00 (29.439)
IB8	4.16 (0.16)	10.00 (4.16)	130.25 (28.41)	172.50 (42.720)
IB9	3.59 (0.47)	10.75 (6.55)	138.75 (31.19)	177.50 (20.616)
IB10	3.34 (0.43)	9.25 (5.06)	145.00 (26.77)	182.50 (29.861)
IB11	3.50 (0.92)	8.25 (6.34)	145.00 (30.28)	177.50 (5.000)
IB12	3.51 (1.19)	8.50 (4.43)	153.50 (32.18)	150.00 (35.590)
	COLTR	DOC	COND25	FE
	(Hazen)	mg/L as C	µS	mg/L
IB1	17.00 (5.416)	3.13 (0.13)	42.67 (0.369)	49.250 (27.765)
IB2	8.00 (1.414)	2.72 (0.19)	33.74 (0.885)	37.800 (14.873)
IB3	8.20 (1.789)	2.64 (0.15)	35.00 (0.400)	30.600 (13.390)
IB4	8.25 (3.594)	2.75 (0.06)	35.77 (0.252)	29.000 (8.124)
IB5	8.50 (1.291)	2.80 (0.12)	35.33 (0.359)	23.500 (13.772)
IB6	7.25 (1.258)	2.65 (0.06)	36.90 (2.334)	27.000 (7.616)
IB7	13.75 (4.573)	3.45 (0.21)	35.33 (0.499)	67.250 (19.015)
IB8	12.00 (2.160)	3.00 (0.14)	35.68 (0.320)	46.750 (9.605)
IB9	12.75 (2.872)	3.05 (0.13)	35.43 (0.320)	37.500 (7.937)
IB10	9.00 (1.414)	2.80 (0.08)	35.40 (0.141)	20.500 (6.191)
IB11	11.25 (2.500)	2.85 (0.17)	35.43 (0.171)	39.500 (21.672)
IB12	8.75 (1.258)	2.73 (0.13)	35.10 (0.424)	21.750 (4.992)

Table 14. Lake of Bays 1986 Data continued.

	Cl mg/L	SO ₄ mg/L	Si mg/L	F µg/L
IB1	3.06 (0.111)	7.80 (0.260)	1.07 (0.038)	40.73 (1.466)
IB2	1.28 (0.220)	7.60 (0.385)	1.45 (0.066)	40.54 (0.713)
IB3	1.54 (0.089)	7.65 (0.266)	1.45 (0.111)	39.64 (0.503)
IB4	1.55 (0.100)	7.65 (0.403)	1.60 (0.071)	39.63 (0.386)
IB5	1.46 (0.063)	7.62 (0.509)	1.62 (0.100)	39.18 (0.873)
IB6	1.45 (0.041)	7.69 (0.446)	1.55 (0.115)	39.18 (0.704)
IB7	1.64 (0.206)	7.29 (0.594)	1.58 (0.041)	40.72 (0.964)
IB8	1.54 (0.149)	7.29 (0.565)	1.61 (0.077)	39.57 (1.115)
IB9	1.59 (0.214)	7.26 (0.550)	1.60 (0.075)	40.10 (0.668)
IB10	1.41 (0.118)	7.55 (0.189)	1.59 (0.090)	39.30 (0.852)
IB11	1.47 (0.222)	7.78 (0.246)	1.61 (0.019)	39.00 (1.227)
IB12	1.51 (0.236)	7.80 (0.231)	1.63 (0.066)	38.53 (1.112)

Table 15. 1986 Euphotic zone Chlorophyll and Secchi Depth.

LAKE MUSKOKA						
STATION	ACID-A	S.D	CHL A	S.D	SECCHI	S.D
			(mg/L)		(m)	
IM1	4.455	3.158	5.427	2.849	3.791	0.596
IM5	0.800	0.216	1.275	0.222	5.325	0.585
IM3	0.975	0.709	1.475	0.640	4.950	0.714
IM4	0.950	0.238	1.500	0.200	3.400	0.337
IM5	0.775	0.171	1.375	0.275	4.950	0.451
IM6	1.600	0.976	2.200	1.013	5.350	0.624
IM7	0.950	0.129	1.400	0.141	5.625	0.395
IM8	1.075	0.320	1.550	0.173	5.725	0.532
IM9	0.925	0.287	1.275	0.263	5.800	0.424
IM10	1.025	0.126	1.400	0.141	5.275	0.287
IM11	1.150	0.420	1.625	0.479	4.825	0.911
IM12	1.150	0.420	1.625	0.479	4.825	0.911
IM13	4.270	3.407	5.190	3.325	3.556	0.594
LAKE JOSEPH						
IJ1	1.033	0.208	1.433	0.252	8.967	0.757
IJ2	1.067	0.306	1.533	0.208	8.767	1.270
IJ3	1.333	0.503	1.733	0.513	8.033	0.850
IJ4	1.367	0.115	1.867	0.153	8.033	1.079
IJ5	1.550	0.520	2.175	0.568	6.275	0.457
IJ6	1.525	0.556	2.175	0.591	7.325	1.215
IJ7	2.350	1.954	3.275	2.532	4.333	1.365
IJ8	1.300	0.346	1.633	0.306	7.567	0.833
IJ9	0.967	0.751	1.967	0.153	7.867	0.404
IJ10	1.367	0.416	1.733	0.208	7.067	0.115
IJ11	1.067	0.451	1.567	0.586	7.250	1.702
LAKE ROSSEAU						
IR1	1.100	0.163	1.550	0.300	5.800	1.386
IR2	0.800	0.141	1.250	0.208	6.633	0.462
IR3	0.933	0.208	1.300	0.245	6.767	1.012
IR4	0.900	0.115	1.300	0.183	6.233	1.457
IR5	0.925	0.096	1.200	0.183	7.667	0.702
IR6	0.850	0.300	1.275	0.150	6.667	0.208
IR7	1.100	0.503	1.425	0.403	7.167	0.569
IRS	1.775	0.150	2.350	0.265	3.233	0.611
IR9	1.075	0.359	1.425	0.359	6.533	0.451
IR10	0.975	0.222	1.325	0.263	5.867	2.854
IR11	0.850	0.300	1.250	0.100	7.233	0.252
IR12	0.875	0.287	1.200	0.216	6.700	0.200
LAKE OF BAYS						
IB1	1.100	0.163	1.550	0.300	5.800	1.386
IB5	1.125	0.369	1.700	0.620	6.260	0.503
IB3	2.100	0.735	2.740	1.090	6.040	0.513
IB4	1.000	0.100	1.675	0.236	5.850	0.794
IB5	1.200	0.100	1.550	0.300	7.100	0.392
IB6	1.267	0.306	1.800	0.316	6.075	0.877
IB7	1.000	0.173	1.425	0.299	5.200	0.920
IB8	0.933	0.231	1.525	0.096	5.675	1.417
IB9	0.833	0.208	1.350	0.100	6.150	1.034
IB10	1.267	0.289	1.575	0.411	6.925	0.395
IB11	1.100	0.265	1.600	0.141	6.925	1.441
IB12	1.200	0.265	1.575	0.310	7.325	1.333

Appendix 3. Dissolved Oxygen Profile Data

Table 16.	IM1 and IM13
Table 17.	IM2, IM3, IM4, IM5
Table 18.	IM6, IM7, IM8, IM9
Table 19.	IM10, IM11, IM12
Table 22.	IJ9, IJ10, IJ11
Table 20.	IJ1, IJ2, IJ3, IJ4
Table 21.	IJ5, IJ6, IJ7, IJ8
Table 23.	IR1, IR2, IR3, IR4
Table 24.	IR5, IR6, IR7, IR8
Table 25.	IR9, IR10, IR11, IR12
Table 26.	IB1, IB3, IB4, IB6
Table 27.	IB8, IB9, IB10, IB11
Table 28.	IB2, IB5
Table 29.	IB7, IB12

Table 16. Profile Data Lake Muskoka: IM1, IM13.

IM1					IM13				
Date	TIME	DEPTHS	DO	FWTEMP	Date	TIME	DEPTHS	DO	FWTEMP
86/05/22	10:20	1	9.7	14.5	86/07/03	10:34	1	10.4	19.4
86/05/22	10:20	3	9.8	14.2	86/07/03	10:34	3	10.3	19.3
86/05/22	10:20	5	9.8	12.4	86/07/03	10:34	5	10.2	18.5
86/05/22	10:20	7	9.9	10.1	86/07/03	10:34	7	11.3	16.4
86/05/22	10:20	9	9.7	9.2	86/07/03	10:34	9	7.0	10.6
86/05/22	10:20	11	9.9	8.8	86/07/03	10:34	11	5.8	8.6
86/05/22	10:0	13	9.4	8.3	86/07/15	11:30	1	8.6	21.4
86/05/22	10:20	14	8.2	8.0	86/07/15	11:30	3	9.0	21.3
86/06/10	10:50	1	9.3	19.1	86/07/15	11:30	5	9.0	21.2
86/06/10	10:50	3	9.4	18.7	86/07/15	11:30	7	8.6	17.5
86/06/10	10:50	7	8.9	11.9	86/07/15	11:30	9	5.2	11.5
86/06/10	10:50	9	8.8	9.9	86/07/15	11:30	11	3.8	9.5
86/06/10	10:50	11	8.2	9.0	86/07/15	11:30	13	3.2	9.1
86/06/10	10:50	13	7.3	8.3	86/07/31	11:00	1	8.3	23.1
86/06/10	10:50	15	4.4	7.7	86/07/31	11:00	3	8.5	23.1
86/07/03	12:20	1	9.9	20.4	86/07/31	11:00	5	7.9	22.7
86/07/03	12:20	3	9.6	20.4	86/07/31	11:00	7	8.3	18.0
86/07/03	12:20	5	9.9	20.3	86/07/31	11:00	9	3.5	12.2
86/07/03	12:20	7	10.5	16.2	86/07/31	11:00	11	2.7	9.2
86/07/03	12:20	9	7.9	10.8	86/07/31	11:00	13	1.5	8.6
86/07/03	12:20	11	7.6	9.4	86/08/11	10:50	1	8.4	22.5
86/07/03	12:20	13	6.4	8.2	86/08/11	10:50	3	8.4	22.5
86/07/03	12:20	15	8.3	7.6	86/08/11	10:50	5	8.3	22.5
86/07/15	10:15	1	9.2	21.3	86/08/11	10:50	7	8.5	18.0
86/07/15	10:15	3	9.1	21.1	86/08/11	10:50	9	5.6	14.8
86/07/15	10:15	5	9.1	21.1	86/08/11	10:50	11	5.2	11.0
86/07/15	10:15	7	8.6	18.9	86/08/11	10:50	13	2.2	10.1
86/07/15	10:15	9	6.9	12.2	86/08/27	09:55	1	8.7	20.4
86/07/15	10:15	11	6.8	9.3	86/08/27	09:55	3	8.4	20.7
86/07/15	10:15	13	6.1	8.6	86/08/27	09:55	5	8. ⁷	20.7
86/07/15	10:15	15	0.7	7.9	86/08/27	09:55	7	6.6	19.4
86/07/31	12:00	1	8.3	23.2	86/08/27	09:55	9	1.9	15.3
86/07/31	12:00	3	8.4	23.2	86/08/27	09:55	11	0.7	10.3
86/07/31	12:00	5	8.3	23.1	86/08/27	09:55	13	0.4	9.0
86/07/31	12:00	7	7.6	18.1	86/09/08	09:25	1	8.6	17.3
86/07/31	12:00	9	5.7	12.3	86/09/08	09:25	3	8.5	17.6
86/07/31	12:00	11	6.0	9.7	86/09/08	09:25	5	8.5	17.7
86/07/31	12:00	13	2.8	8.5	86/09/08	09:25	7	8.4	17.6
86/07/31	12:00	15	1.8	7.6	86/09/08	09:25	9	3.7	15.2
86/08/11	09:45	1	8.4	22.5	86/09/08	09:25	11	0.4	10.3
86/08/11	09:45	3	6.7	22.5	86/09/08	09:25	13	1.3	9.2
86/08/11	09:45	5	8.4	22.5	86/09/22	14:10	1	9.4	15.5
86/08/11	09:45	7	6.7	20.5	86/09/22	14:10	3	9.3	15.6
86/08/11	09:45	9	6.7	12.9	86/09/22	14:10	5	9.5	15.6
86/08/11	09:45	11	5.2	9.9	86/09/22	14:10	7	9.3	15.6
86/08/11	09:45	13	4.7	9.0	86/09/22	14:10	9	9.1	15.6
86/08/11	09:45	15	4.5	8.0	86/10/07	09:55	1	9.3	13.5
86/08/27	11:35	1	8.5	20.2	86/10/07	09:55	3	9.3	13.6
86/08/27	11:35	3	8.5	20.4	86/10/07	09:55	5	9.1	13.7
86/08/27	11:35	5	8.6	20.4	86/10/07	09:55	7	8.8	13.7
86/08/27	11:35	7	8.3	20.4	86/10/07	09:55	9	9.2	13.6
86/08/27	11:35	9	8.4	12.1	86/10/07	09:55	11	8.9	12.6
86/08/27	11:35	11	4.0	9.4	86/10/07	09:55	13	0.1	9.9
86/08/27	11:35	13	1.6	8.5	86/10/22	11:05	1	9.5	10.9
86/08/27	11:35	15	0.5	7.6	86/10/22	11:05	3	10.6	10.9

Table 16. IM1, IM13 Continued

86/09/08	08:10	1	8.9	17.3	86/10/22	11:05	5	10.4	10.8
86/09/08	08:10	3	9.6	17.4	86/10/22	11:05	7	9.9	10.7
86/09/08	08:10	5	8.6	17.4	86/10/22	11:05	9	9.0	10.6
86/09/08	08:10	7	8.7	17.4	86/10/22	11:05	11	8.9	10.5
86/09/08	08:10	9	3.2	13.9	86/10/22	11:05	13	8.2	10.2
86/09/08	08:10	11	3.1	9.6	86/11/06	09:30	1	9.9	7.9
86/09/08	08:10	13	1.4	8.3	86/11/06	09:30	3	10.0	8.0
86/09/08	08:10	15	0.1	7.3	86/11/06	09:30	5	9.9	8.0
86/09/22	09:35	1	9.2	15.6	86/11/06	09:30	7	9.9	8.0
86/09/22	09:35	3	9.4	15.6	86/11/06	09:30	9	10.0	8.0
86/09/22	09:35	5	9.2	15.6	86/11/06	09:30	11	9.9	8.0
86/09/22	09:35	7	9.7	15.5	86/11/06	09:30	13	10.1	7.7
86/09/22	09:35	9	8.4	15.1	86/11/26	09:30	1	11.8	3.0
86/09/22	09:35	11	2.2	11.8	86/11/26	09:30	3	11.7	3.1
86/09/22	09:35	13	0.4	8.9	86/11/26	09:30	5	11.9	3.1
86/09/22	09:35	15	0.1	7.8	86/11/26	09:30	7	11.7	3.1
86/10/07	10:40	1	10.0	13.3	86/11/26	09:30	9	11.7	3.1
86/10/07	10:40	3	9.2	13.4	86/11/26	09:30	11	11.6	3.1
86/10/07	10:40	5	9.4	13.5	86/11/26	09:30	13	11.6	3.3
86/10/07	10:40	7	9.3	13.5					
86/10/07	10:40	9	9.5	13.5					
86/10/07	10:40	11	6.8	13.2					
86/10/07	10:40	13	0.8	9.5					
86/10/07	10:40	15	0.1	7.9					
86/10/22	11:50	1	9.4	11.2					
86/10/22	11:50	3	9.3	11.1					
86/10/22	11:50	5	9.5	11.0					
86/10/22	11:50	7	9.2	11.0					
86/10/22	11:50	9	9.5	11.0					
86/10/22	11:50	11	8.7	10.6					
86/10/22	11:50	13	2.7	9.6					
86/10/22	11:50	15	0.1	7.7					
86/11/06	10:35	1	9.3	8.1					
86/11/06	10:35	3	9.3	8.2					
86/11/06	10:35	5	9.2	8.2					
86/11/06	10:35	7	9.4	8.2					
86/11/06	10:35	9	9.5	8.2					
86/11/06	10:35	11	9.4	8.2					
86/11/06	10:35	13	9.3	8.2					
86/11/06	10:35	14	9.2	8.2					
86/11/26	10:30	1	11.4	3.3					
86/11/26	10:30	3	11.5	3.4					
86/11/26	10:30	5	11.4	3.4					
86/11/26	10:30	7	11.7	3.4					
86/11/26	10:30	9	11.4	3.4					
86/11/26	10:30	11	11.4	3.4					
86/11/26	10:30	13	11.4	3.4					
86/11/26	10:30	15	11.4	3.9					

Table 17. Profile Data - Lake Muskoka; IM2, IM3, IM4, IM5.

IM2					IM3				
Date	TIME	DEPTH	DO	FWTEMP	Date	TIME	DEPTH	DO	FWTEMP
86/07/07	11:20	9	9.4	17.1	86/07/07	12:25	9	9.1	17.2
86/07/07	11:20	11	9.5	14.5	86/07/07	12:25	11	9.7	13.9
86/07/07	11:20	13	10.8	11.0	86/08/12	09:30	3	8.3	21.6
86/07/07	11:20	15	10.2	9.3	86/08/12	09:30	5	8.2	21.6
86/07/07	11:20	17	10.4	8.3	86/08/12	09:30	7	8.3	21.6
86/08/12	09:00	11	8.1	16.1	86/08/12	09:30	9	8.2	21.6
86/08/12	09:00	13	8.6	12.8	86/09/09	13:25	9	8.8	17.4
86/08/12	09:00	15	8.6	11.3	86/09/09	13:25	11	8.8	17.3
86/08/12	09:00	17	8.9	10.2	86/09/09	13:25	13	8.8	17.3
86/09/08	10:05	7	9.2	17.2	86/09/09	13:25	15	8.4	10.5
86/09/08	10:05	9	9.0	17.2	86/10/22	09:15	11	10.1	11.2
86/09/08	10:05	11	8.8	17.2	86/10/22	09:15	13	10.1	11.2
86/09/08	10:05	13	8.6	16.2	86/10/22	09:15	15	10.3	11.1
86/10/22	10:45	7	10.4	11.3	86/10/22	09:15	17	9.8	11.0
86/10/22	10:45	9	10.3	11.3					
86/10/22	10:45	11	10.2	11.3					
86/10/22	10:45	13	9.9	11.3					

IM4					IM5				
Date	TIME	DEPTH	DO	FWTEMP	Date	TIME	DEPTH	DO	FWTEMP
86/07/07	13:20	5	8.6	20.0	86/07/09	10:05	32	9.8	6.3
86/07/07	13:20	7	9.1	19.3	86/07/09	10:05	38	10.9	6.2
86/07/07	13:20	9	8.6	18.1	86/07/09	10:05	42	10.7	6.1
86/07/07	13:20	11	9.0	13.8	86/07/09	10:05	46	10.6	6.1
86/08/12	07:30	5	8.6	22.0	86/08/12	08:00	31	10.1	6.8
86/08/12	07:30	7	8.9	22.0	86/08/12	08:00	35	10.1	6.5
86/08/12	07:30	9	8.9	22.0	86/08/12	08:00	37	10.2	6.4
86/08/12	07:30	11	7.3	15.6	86/08/12	08:00	43	10.0	6.4
86/09/08	13:15	7	8.5	17.4	86/10/21	10:20	34	9.7	7.1
86/09/08	13:15	9	8.5	17.3	86/10/21	10:20	38	9.4	6.9
86/09/08	13:15	11	8.5	17.1	86/10/21	10:20	42	9.5	6.8
86/09/08	13:15	13	7.8	14.7	86/10/21	10:20	46	9.6	6.7
86/10/21	11:10	7	11.6	10.4					
86/10/21	11:10	9	11.2	10.2					
86/10/21	11:10	11	11.1	10.0					
86/10/21	11:10	13	12.0	9.9					

Table 18. Profile Data - Lake Muskoka: IM6, IM7, IM8, IM9.

IM6					IM7				
Date	TIME	DEPTHS	DO	FWTEMP	Date	TIME	DEPTHS	DO	FWTEMP
86/07/09	11:10	5	9.2	18.3	86/07/08	11:30	2	8.8	22.3
86/07/09	11:10	7	8.2	13.3	86/07/08	11:30	6	8.8	19.8
86/07/09	11:10	9	7.9	9.2	86/07/08	11:30	10	8.4	18.4
86/08/11	12:00	5	8.2	22.3	86/08/11	13:15	15	7.1	15.6
86/08/11	12:00	7	6.4	14.8	86/08/11	13:15	17	6.9	13.1
86/08/11	12:00	9	7.7	9.9	86/08/11	13:15	19	7.0	11.1
86/08/11	12:00	11	2.1	8.8	86/09/09	11:45	9	9.0	18.0
86/09/08	11:20	3	8.5	17.6	86/09/09	11:45	11	8.5	18.0
86/09/08	11:20	5	8.6	17.5	86/09/09	11:45	13	8.5	18.0
86/09/08	11:20	7	8.6	17.4	86/09/09	11:45	15	7.1	16.3
86/09/08	11:20	9	1.0	10.8	86/10/21	13:45	9	9.8	11.2
86/10/21	14:30	3	10.1	11.1	86/10/21	13:45	11	9.6	11.2
86/10/21	14:30	5	10.4	10.9	86/10/21	13:45	13	10.2	11.1
86/10/21	14:30	7	9.6	10.6	86/10/21	13:45	15	10.3	11.1

IM8					IM9				
Date	TIME	DEPTHS	DO	FWTEMP	Date	TIME	DEPTHS	DO	FWTEMP
86/07/08	12:15	11	8.5	9.2	86/07/08	13:55	9	9.0	11.0
86/07/08	12:15	13	8.0	8.7	86/07/08	13:55	11	8.7	9.3
86/07/08	12:15	15	8.0	8.5	86/07/08	13:55	13	8.6	9.0
86/07/08	12:15	17	7.7	8.3	86/08/11	15:30	11	7.8	13.0
86/08/11	14:00	11	7.0	10.7	86/08/11	15:30	13	8.2	11.0
86/08/11	14:00	13	7.0	10.1	86/08/11	15:30	15	7.9	10.1
86/08/11	14:00	15	6.2	9.4	86/08/11	15:30	17	7.9	9.2
86/08/11	14:00	17	5.8	9.1	86/09/09	10:15	9	8.7	17.4
86/09/09	11:00	11	5.1	10.6	86/09/09	10:15	11	7.7	16.0
86/09/09	11:00	13	5.1	9.4	86/09/09	10:15	13	6.9	10.4
86/09/09	11:00	15	4.9	8.8	86/09/09	10:15	15	7.0	9.2
86/09/09	11:00	17	4.9	8.5	86/09/09	10:15	17	6.5	8.9
86/10/21	12:50	11	11.1	10.9	86/10/21	12:15	11	10.7	11.1
86/10/21	12:50	13	10.1	10.8	86/10/21	12:15	13	9.6	11.0
86/10/21	12:50	15	9.7	10.5	86/10/21	12:15	15	10.7	10.9
86/10/21	12:50	17	3.7	8.7	86/10/21	12:15	17	8.4	10.3

Table 19. Profile Data - Lake Muskoka: IM10, IM11, IM12.

IM10					IM11				
Date	TIME	DEPTHS	DO	FWTEMP	Date	TIME	DEPTHS	DO	FWTEMP
86/07/09	12:15	9	8.9	16.3	86/07/09	13:00	42	10.7	6.1
86/07/09	12:15	11	9.1	12.8	86/07/09	13:00	46	10.6	
86/07/09	12:15	13	9.6	10.2	86/08/12	10:00	33	10.1	6.6
86/07/09	12:15	15	10.1	9.3	86/08/12	10:00	37	10.1	6.4
86/08/11	16:00	3	8.0	21.0	86/08/12	10:00	41	10.3	6.3
86/08/11	16:00	5	8.4	21.0	86/08/12	10:00	45	10.3	6.2
86/08/11	16:00	7	8.1	20.9	86/09/09	08:10	39	9.8	6.2
86/08/11	16:00	9	8.4	20.3	86/09/09	08:10	41	9.6	6.2
86/09/09	09:15	7	8.8	17.2	86/09/09	08:10	43	9.6	6.2
86/09/09	09:15	9	8.8	17.1	86/09/09	08:10	45	9.7	6.2
86/09/09	09:15	11	8.3	15.3	86/10/20	13:40	34	10.6	7.0
86/09/09	09:15	13	8.5	11.6	86/10/20	13:40	38	9.7	6.8
86/10/21	11:45	9	10.0	11.3	86/10/20	13:40	42	9.1	6.7
86/10/21	11:45	11	10.3	11.2	86/10/20	13:40	46	10.5	6.6
86/10/21	11:45	13	10.2	11.0					
86/10/21	11:45	15	10.6	10.9					
IM12									
Date	TIME	DEPTHS	DO	FWTEMP					
86/07/08	10:25	1	8.6	23.1					
86/07/08	10:25	3	9.0	21.6					
86/07/08	10:25	5	8.3	18.9					
86/08/12	11:00	1	8.0	20.8					
86/08/12	11:00	3	8.5	20.8					
86/08/12	11:00	5	8.3	20.8					
86/09/09	14:40	1	8.9	17.6					
86/09/09	14:40	3	8.9	17.7					
86/09/09	14:40	5	8.9	17.7					
86/10/20	13:05	1	10.2	11.2					
86/10/20	13:05	3	9.9	11.0					
86/10/20	13:05	5	10.6	10.9					

Table 20. Profile Data - Lake Joseph: IJ1, IJ2, IJ3, IJ4.

IJ1					IJ2				
Date	TIME	DEPTHS	DO	FWTEMP	Date	TIME	DEPTHS	DO	FWTEMP
86/08/14	10:30	11	10.5	17.0	86/08/14	11:00	30	11.0	6.3
86/08/14	10:30	13	11.5	12.0	86/08/14	11:00	34	10.8	5.8
86/08/14	10:30	15	11.8	9.6	86/08/14	11:00	38	10.8	5.6
86/08/14	10:30	17	11.1	8.3	86/08/14	11:00	42	10.2	5.5
86/09/15	09:30	11	9.4	15.4	86/09/15	10:10	26	10.5	7.1
86/09/15	09:30	13	10.8	10.1	86/09/15	10:10	30	10.4	6.6
86/09/15	09:30	15	10.8	8.3	86/09/15	10:10	34	10.1	6.2
86/09/15	09:30	17	10.9	8.0	86/10/14	12:30	34	9.7	6.2
86/10/14	11:50	11	10.4	12.1	86/10/14	12:30	38	10.0	5.9
86/10/14	11:50	13	10.4	12.1	86/10/14	12:30	42	9.8	5.6
86/10/14	11:50	15	10.4	12.1	86/10/14	12:30	46	9.7	5.5
86/10/14	11:50	17	9.8	11.9					
IJ3					IJ4				
Date	TIME	DEPTHS	DO	FWTEMP	Date	TIME	DEPTHS	DO	FWTEMP
86/08/14	12:03	9	12.3	15.2	86/08/18	11:00	34	10.2	6.3
86/08/14	12:03	11	12.9	10.9	86/08/18	11:00	38	10.4	6.1
86/08/14	12:03	13	11.5	8.2	86/08/18	11:00	42	10.3	5.9
86/08/14	12:03	15	9.7	6.7	86/08/18	11:00	46	10.4	5.8
86/09/15	11:35	9	9.3	16.4	86/09/15	08:30	34	10.1	6.4
86/09/15	11:35	11	12.5	12.1	86/09/15	08:30	38	10.1	6.2
86/09/15	11:35	13	11.4	8.6	86/09/15	08:30	42	10.1	6.0
86/09/15	11:35	15	8.9	6.9	86/09/15	08:30	46	10.0	5.7
86/10/14	13:45	9	10.6	12.1	86/10/14	11:00	34	9.7	6.9
86/10/14	13:45	11	9.8	12.1	86/10/14	11:00	38	10.3	6.2
86/10/14	13:45	13	9.7	9.6	86/10/14	11:00	42	9.5	5.9
86/10/14	13:45	15	9.3	7.3	86/10/14	11:00	46	10.0	5.9

Table 21. Profile Data - Lake Joseph: IJ5, IJ6, IJ7, IJ8.

IJ5					IJ6				
Date	TIME	DEPTH	DO	FWTEMP	Date	TIME	DEPTH	DO	FWTEMP
86/07/23	13:20	22	8.6	4.8	86/07/23	12:30	9	12.6	11.7
86/07/23	13:20	26	8.8	4.6	86/07/23	12:30	11	12.5	9.3
86/07/23	13:20	30	8.6	4.5	86/07/23	12:30	13	10.1	7.8
86/07/23	13:20	34	6.5	4.4	86/07/23	12:30	15	9.6	7.3
86/07/23	13:20	37	8.7	4.3	86/07/23	12:30	17	7.3	6.8
86/08/18	12:00	31	7.2	4.8	86/08/18	12:40	11	9.1	11.3
86/08/18	12:00	33	7.0	4.6	86/08/18	12:40	13	11.1	9.4
86/08/18	12:00	35	8.3	4.5	86/08/18	12:40	15	12.6	7.9
86/08/18	12:00	37	8.0	4.4	86/08/18	12:40	17	5.5	7.9
86/09/15	12:25	31	8.0	4.1	86/09/15	13:15	11	11.5	11.5
86/09/15	12:25	33	7.8	4.1	86/09/15	13:15	13	9.6	8.9
86/09/15	12:25	35	6.4	4.1	86/09/15	13:15	15	5.1	7.6
86/09/15	12:25	37	4.5	4.1	86/09/15	13:15	17	2.1	6.8
86/10/15	12:30	31	8.3	4.1	86/10/15	11:50	11	10.4	11.7
86/10/15	12:30	33	7.6	4.1	86/10/15	11:50	13	10.1	11.5
86/10/15	12:30	35	6.5	4.0	86/10/15	11:50	15	10.8	7.7
86/10/15	12:30	37	4.3	4.0	86/10/15	11:50	17	10.7	7.0
IJ7					IJ8				
Date	TIME	DEPTH	DO	FWTEMP	Date	TIME	DEPTH	DO	FWTEMP
86/07/22	14:02	1	8.5	24.3	86/08/18	13:00	25	10.2	7.0
86/07/22	14:02	3	8.7	23.4	86/08/18	13:00	27	10.4	6.7
86/07/22	14:02	5	10.8	18.0	86/08/18	13:00	29	10.2	6.5
86/07/22	14:02	7	10.1	12.2	86/08/18	13:00	31	10.2	6.4
86/08/14	13:00	1	8.6	23.0	86/09/16	08:30	29	10.1	6.6
86/08/14	13:00	3	8.6	22.6	86/09/16	08:30	31	9.7	6.5
86/08/14	13:00	5	10.5	19.7	86/09/16	08:30	33	9.8	6.3
86/08/14	13:00	7	1.7	13.3	86/09/16	08:30	35	9.9	6.1
86/09/11	13:10	1	8.5	17.5	86/10/14	10:00	31	10.1	6.9
86/09/11	13:10	3	8.7	17.4	86/10/14	10:00	33	9.9	6.7
86/09/11	13:10	5	8.2	17.3	86/10/14	10:00	35	9.9	6.5
86/09/11	13:10	7	1.7	15.2	86/10/14	10:00	38	9.5	6.3
86/10/15	13:30	1	9.8	10.8					
86/10/15	13:30	3	9.5	10.8					
86/10/15	13:30	5	10.6	10.9					
86/10/15	13:30	7	9.3	10.9					

Table 22. Profile Data - Lake Joseph: IJ9, IJ10, IJ11.

IJ9					IJ10				
Date	TIME	DEPTHS	DO	FWTEMP	Date	TIME	DEPTHS	DO	FWTEMP
86/08/18	13:55	23	10.2	7.0	86/08/14	12:51	9	9.3	21.3
86/08/18	13:55	25	10.3	6.8	86/08/14	12:51	11	9.3	14.4
86/08/18	13:55	27	10.2	6.6	86/08/14	12:51	13	10.1	10.2
86/08/18	13:55	29	9.8	6.4	86/08/14	12:51	15	9.0	9.0
86/09/16	09:40	29	9.6	6.5	86/09/16	10:40	11	9.6	16.0
86/09/16	09:40	31	10.8	6.3	86/09/16	10:40	13	9.6	16.0
86/09/16	09:40	33	9.7	6.1	86/09/16	10:40	15	9.4	9.9
86/09/16	09:40	35	9.9	6.0	86/09/16	10:40	17	9.4	8.8
86/10/15	11:00	29	9.5	7.2	86/10/15	10:20	11	10.0	11.9
86/10/15	11:00	31	9.6	6.6	86/10/15	10:20	13	10.0	11.9
86/10/15	11:00	33	9.2	6.4	86/10/15	10:20	15	9.3	9.1
86/10/15	11:00	35	9.3	6.2	86/10/15	10:20	17	9.8	8.1
IJ11									
Date	TIME	DEPTHS	DO	FWTEMP					
86/07/22	13:10	1	8.4	23.6					
86/07/22	13:10	3	8.5	23.3					
86/07/22	13:10	5	8.6	23.1					
86/07/22	13:10	7	8.8	21.3					
86/07/22	13:10	9	8.6	19.1					
86/07/22	13:10	11	9.9	10.6					
86/08/18	14:50	5	9.0	23.6					
86/08/18	14:50	7	9.1	23.1					
86/08/18	14:50	9	8.9	22.3					
86/08/18	14:50	11	8.8	17.8					
86/09/16	11:30	5	9.1	15.8					
86/09/16	11:30	7	9.3	15.9					
86/09/16	11:30	9	10.0	15.9					
86/09/16	11:30	11	9.4	15.8					
86/10/15	10:00	5	9.9	11.6					
86/10/15	10:00	7	10.1	11.7					
86/10/15	10:00	9	4.3	11.7					
86/10/15	10:00	11	1.3	11.7					

Table 23. Profile Data - Lake Rosseau : IR1, IR2, IR3, IR4.

IR1					IR2				
Date	TIME	DEPTH	DO	FWTEMP	Date	TIME	DEPTH	DO	FWTEMP
86/07/21	11:05	5	8.8	20.0	86/07/21	11:44	15	9.9	7.7
86/07/21	11:05	7	8.7	17.6	86/07/21	11:44	17	9.8	7.4
86/07/21	11:05	9	8.4	13.1	86/07/21	11:44	19	9.9	7.2
86/07/21	11:05	11	5.3	9.7	86/07/21	11:44	21	9.9	7.0
86/08/13	09:00	5	8.3	21.7	86/07/21	11:44	23	9.6	6.7
86/08/13	09:00	7	7.8	21.7	86/08/13	09:56	17	9.7	8.7
86/08/13	09:00	9	6.6	19.0	86/08/13	09:56	19	9.7	8.1
86/08/13	09:00	11	2.6	12.9	86/08/13	09:56	21	9.8	7.8
86/09/11	11:30	5	8.8	17.3	86/09/11	10:45	15	8.2	9.2
86/09/11	11:30	7	8.9	17.2	86/09/11	10:45	17	9.0	8.0
86/09/11	11:30	9	7.4	14.4	86/09/11	10:45	19	9.2	7.7
86/09/11	11:30	10	5.8	12.2	86/09/11	10:45	21	8.8	7.4
86/10/16	12:20	5	9.8	10.8	86/10/16	13:10	17	8.7	8.0
86/10/16	12:20	7	9.3	10.9	86/10/16	13:10	19	9.5	7.4
86/10/16	12:20	9	9.6	10.2	86/10/16	13:10	21	8.6	7.2
86/10/16	12:20	11	9.5	9.5	86/10/16	13:10	23	7.4	7.0
IR3					IR4				
Date	TIME	DEPTH	DO	FWTEMP	Date	TIME	DEPTH	DO	FWTEMP
86/07/21	12:48	7	9.7	16.5	86/07/21	13:30	9	9.7	10.2
86/07/21	12:48	9	9.7	12.4	86/07/21	13:30	11	9.8	7.9
86/07/21	12:48	11	9.9	10.4	86/07/21	13:30	13	8.7	6.5
86/07/21	12:48	13	10.1	8.7	86/07/21	13:30	15	7.7	6.0
86/07/21	12:48	15	10.1	8.2	86/07/21	13:30	17	6.8	5.6
86/08/13	10:30	11	9.2	12.4	86/08/13	11:00	13	8.4	7.5
86/08/13	10:30	13	9.5	11.6	86/08/13	11:00	15	7.0	6.9
86/08/13	10:30	15	9.6	8.9	86/08/13	11:00	17	5.0	6.5
86/08/13	10:30	17	9.5	8.6	86/08/13	11:00	19	4.4	6.3
86/09/11	10:05	9	9.0	17.3	86/09/10	12:35	13	7.2	7.2
86/09/11	10:05	11	8.9	17.0	86/09/10	12:35	15	6.8	6.2
86/09/11	10:05	13	8.7	12.8	86/09/10	12:35	17	6.4	5.8
86/09/11	10:05	15	9.2	9.5	86/09/10	12:35	19	4.6	5.6
86/10/16	13:48	9	10.0	11.4	86/10/16	14:15	11	9.3	11.0
86/10/16	13:48	11	10.9	11.4	86/10/16	14:15	13	7.0	8.2
86/10/16	13:48	13	11.2	11.4	86/10/16	14:15	15	5.5	6.4
86/10/16	13:48	15	10.6	11.0	86/10/16	14:15	17	4.1	5.9

Table 24. Profile Data - Lake Rosseau: IR5, IR6, IR7, IR8.

IRS					IR6				
Date	TIME	DEPTHS	DO	FWTEMP	Date	TIME	DEPTHS	DO	FWTEMP
86/07/21	14:24	9	8.9	17.7	86/07/22	10:42	18	9.7	7.7
86/07/21	14:24	11	9.6	12.7	86/07/22	10:42	22	9.6	7.0
86/07/21	14:24	13	10.0	9.3	86/07/22	10:42	26	9.5	6.7
86/07/21	14:24	15	10.6	8.1	86/07/22	10:42	30	9.3	6.5
86/07/21	14:24	17	10.2	7.5	86/07/22	10:42	32	9.1	6.4
86/08/13	12:30	15	9.8	9.1	86/08/14	08:32	19	9.4	7.3
86/08/13	12:30	17	9.7	8.3	86/08/14	08:32	21	9.9	7.1
86/08/13	12:30	19	9.9	7.8	86/08/14	08:32	23	9.6	6.9
86/08/13	12:30	21	9.8	7.4	86/08/14	08:32	25	9.1	6.8
86/09/10	12:00	13	8.9	11.4	86/09/10	09:40	25	8.4	6.6
86/09/10	12:00	15	9.0	9.1	86/09/10	09:40	27	8.2	6.5
86/09/10	12:00	17	9.0	8.3	86/09/10	09:40	29	8.0	6.3
86/09/10	12:00	19	9.3	7.8	86/09/10	09:40	31	7.7	6.3
86/10/20	10:00	13	10.5	10.7	86/10/16	09:45	25	7.5	7.1
86/10/20	10:00	15	10.3	10.6	86/10/16	09:45	27	7.9	6.9
86/10/20	10:00	17	8.7	8.8	86/10/16	09:45	29	7.4	6.8
86/10/20	10:00	19	8.9	7.6	86/10/16	09:45	31	7.3	6.6
IR7					IR8				
Date	TIME	DEPTHS	DO	FWTEMP	Date	TIME	DEPTHS	DO	FWTEMP
86/07/10	09:25	5	9.6	22.6	86/07/10	10:30	1	8.3	23.5
86/07/10	09:25	7	9.2	20.8	86/07/10	10:30	2	9.1	23.5
86/07/10	09:25	9	9.1	19.5	86/07/10	10:30	3	8.1	23.4
86/07/10	09:25	11	10.2	10.2	86/07/10	10:30	4	7.9	22.5
86/08/13	13:00	7	8.1	21.9	86/08/13	13:30	1	8.3	21.4
86/08/13	13:00	9	8.6	18.3	86/08/13	13:30	3	8.4	21.4
86/08/13	13:00	11	9.0	12.6	86/09/10	08:30	1	9.0	16.3
86/08/13	13:00	13	9.4	10.8	86/09/10	08:30	3	8.9	16.3
86/09/10	10:30	3	8.9	17.4	86/10/20	11:20	1	10.3	9.4
86/09/10	10:30	5	8.8	17.5	86/10/20	11:20	3	10.4	9.1
86/09/10	10:30	9	8.9	17.6					
86/09/10	10:30	11	8.6	14.8					
86/10/20	10:40	5	10.4	10.8					
86/10/20	10:40	7	10.1	10.8					
86/10/20	10:40	9	10.1	10.8					
86/10/20	10:40	11	11.1	10.8					

Table 25. Profile Data - Lake Rosseau: IR9, IR10, IR11, IR12.

IR9					IR10				
Date	TIME	DEPTH	DO	FWTEMP	Date	TIME	DEPTH	DO	FWTEMP
86/07/10	11:15	1	8.9	22.8	86/07/10	12:15	7	9.5	20.3
86/07/10	11:15	3	8.9	22.8	86/07/10	12:15	9	9.4	18.1
86/07/10	11:15	5	8.7	22.7	86/07/10	12:15	11	10.4	14.0
86/07/10	11:15	7	8.8	20.6	86/07/10	12:15	13	9.8	9.0
86/08/13	14:00	1	8.4	21.9	86/08/13	12:00	7	8.7	21.5
86/08/13	14:00	3	8.3	21.8	86/08/13	12:00	9	8.7	20.5
86/08/13	14:00	5	8.3	21.8	86/08/13	12:00	11	9.1	11.7
86/08/13	14:00	7	8.2	21.7	86/08/13	12:00	13	9.2	10.8
86/09/10	09:05	1	10.8	16.9	86/09/11	12:30	5	8.9	17.1
86/09/10	09:05	3	9.0	17.0	86/09/11	12:30	7	9.0	17.1
86/09/10	09:05	5	8.9	17.1	86/09/11	12:30	9	9.0	17.1
86/09/10	09:05	7	8.9	17.1	86/09/11	12:30	11	8.8	13.4
86/10/20	11:45	1	10.1	11.1	86/10/15	14:00	7	12.0	11.5
86/10/20	11:45	3	10.1	10.9	86/10/15	14:00	9	10.6	11.4
86/10/20	11:45	5	10.2	10.9	86/10/15	14:00	11	9.6	9.8
86/10/20	11:45	7	10.1	10.9	86/10/15	14:00	13	9.7	9.1
IR11					IR12				
Date	TIME	DEPTH	DO	FWTEMP	Date	TIME	DEPTH	DO	FWTEMP
86/07/22	11:46	26	9.1	6.4	86/07/23	10:30	30	10.5	6.0
86/07/22	11:46	30	10.6	6.1	86/07/23	10:30	34	10.4	5.7
86/07/22	11:46	34	10.3	6.0	86/07/23	10:30	38	10.3	5.6
86/07/22	11:46	38	10.2	5.8	86/07/23	10:30	42	10.4	5.4
86/07/22	11:46	42	10.3	5.8	86/08/13	08:46	34	10.2	6.4
86/07/22	11:46	45	9.9	5.7	86/08/13	08:46	38	10.6	6.0
86/08/14	09:15	34	10.0	6.0	86/08/13	08:46	42	10.5	5.6
86/08/14	09:15	38	10.0	5.9	86/08/13	08:46	46	10.4	5.3
86/08/14	09:15	42	9.7	5.8	86/09/11	09:00	34	9.8	6.1
86/08/14	09:15	46	10.2	5.7	86/09/11	09:00	38	10.2	5.8
86/09/10	08:10	22	9.2	7.1	86/09/11	09:00	42	10.1	5.4
86/09/10	08:10	26	9.5	6.7	86/09/11	09:00	46	10.1	5.1
86/09/10	08:10	30	9.6	6.3	86/10/16	11:20	34	9.5	6.3
86/09/10	08:10	34	9.5	6.1	86/10/16	11:20	38	9.9	6.0
86/10/16	10:20	26	9.3	6.8	86/10/16	11:20	42	10.6	5.9
86/10/16	10:20	30	10.4	6.4	86/10/16	11:20	46	11.3	5.5
86/10/16	10:20	34	9.3	6.2					
86/10/16	10:20	38	9.6	5.9					

Table 26. Profile Data - Lake of Bays: IB1, IB3, IB4, IB6.

IB1					IB3				
Date	TIME	DEPTHS	DO	FWTEMP	Date	TIME	DEPTHS	DO	FWTEMP
86/06/26	09:50	1	8.8	19.5	86/06/26	12:15	11	10.4	6.8
86/06/26	09:50	3	9.1	19.4	86/06/26	12:15	13	9.5	6.1
86/06/26	09:50	5	9.0	18.8	86/06/26	12:15	15	9.1	5.7
86/06/26	09:50	7	7.7	15.8	86/06/26	12:15	17	8.9	5.2
86/06/26	09:50	9	6.5	12.2	86/06/26	12:15	19	8.3	4.9
86/06/26	09:50	11	5.6	10.9	86/07/30	14:00	11	11.8	7.9
86/06/26	09:50	13	5.4	10.4	86/07/30	14:00	13	9.0	7.0
86/07/30	15:30	3	8.4	23.6	86/07/30	14:00	15	8.9	6.7
86/07/30	15:30	5	8.6	23.6	86/07/30	14:00	17	8.2	6.0
86/07/30	15:30	7	8.4	20.2	86/09/17	07:20	11	11.9	8.9
86/07/30	15:30	9	6.0	14.2	86/09/17	07:20	13	10.5	7.1
86/09/18	08:40	7	9.8	12.7	86/09/17	07:20	15	9.3	6.1
86/09/18	08:40	9	9.4	12.6	86/09/17	07:20	17	7.3	5.8
86/09/18	08:40	11	9.0	12.5	86/10/22	14:10	9	10.3	10.5
86/09/18	08:40	13	0.1	8.7	86/10/22	14:10	11	10.9	9.6
86/10/23	08:30	5	11.1	10.5	86/10/22	14:10	13	9.1	6.7
86/10/23	08:30	7	10.4	10.5	86/10/22	14:10	15	8.4	6.0
86/10/23	08:30	9	10.5	10.4					
86/10/23	08:30	11	9.9	10.3					
IB4					IB6				
Date	TIME	DEPTHS	DO	FWTEMP	Date	TIME	DEPTHS	DO	FWTEMP
86/06/26	13:27	1	9.2	18.7	86/09/18	11:45	15	9.0	6.7
86/06/26	13:27	5	9.2	18.6	86/09/18	11:45	17	8.3	5.9
86/06/26	13:27	7	9.5	18.6	86/09/18	11:45	19	8.1	5.6
86/06/26	13:27	9	9.4	17.5	86/09/18	11:45	21	7.7	5.4
86/06/26	13:27	11	10.1	12.2	86/10/27	12:30	15	8.3	6.9
86/08/20	10:00	5	9.2	21.7	86/10/27	12:30	17	7.7	6.1
86/08/20	10:00	7	8.8	21.4	86/10/27	12:30	19	7.8	5.6
86/08/20	10:00	9	8.1	19.1	86/10/27	12:30	21	6.3	5.4
86/08/20	10:00	11	7.9	13.9					
86/09/18	12:30	5	9.2	15.4					
86/09/18	12:30	7	9.0	15.4					
86/09/18	12:30	9	8.6	15.2					
86/09/18	12:30	11	8.6	14.8					
86/10/27	13:45	5	10.1	10.4					
86/10/27	13:45	7	10.7	10.4					
86/10/27	13:45	9	10.2	10.4					
86/10/27	13:45	11	10.1	10.3					

Table 27. Profile Data - Lake of Bays: IB8, IB9, IB10, IB11.

IB8					IB9				
Date	TIME	DEPTHS	DO	FWTEMP	Date	TIME	DEPTHS	DO	FWTEMP
86/08/20	13:00	19	9.2	5.6	86/08/20	10:46	39	9.9	5.6
86/08/20	13:00	21	9.2	5.4	86/08/20	10:46	41	9.9	5.5
86/08/20	13:00	23	9.0	5.2	86/08/20	10:46	43	9.6	5.4
86/08/20	13:00	25	8.9	5.1	86/08/20	10:46	45	9.8	5.3
86/09/17	13:15	23	8.6	5.7	86/09/17	12:20	39	9.5	5.7
86/09/17	13:15	25	9.2	5.5	86/09/17	12:20	41	9.3	5.6
86/09/17	13:15	27	8.8	5.4	86/09/17	12:20	43	9.3	5.5
86/10/23	11:55	19	8.5	4.9	86/09/17	12:20	45	9.2	5.5
86/10/23	11:55	21	8.5	4.8	86/10/27	09:45	34	9.3	5.6
86/10/23	11:55	23	8.3	4.7	86/10/27	09:45	38	9.7	5.3
					86/10/27	09:45	42	8.9	5.2
					86/10/27	09:45	46	8.7	5.2
IB10					IB11				
Date	TIME	DEPTHS	DO	FWTEMP	Date	TIME	DEPTHS	DO	FWTEMP
86/08/19	12:07	29	10.7	6.8	86/08/20	14:08	15	9.4	9.3
86/08/19	12:07	31	10.4	6.4	86/08/20	14:08	17	10.0	8.3
86/08/19	12:07	44	10.2	6.0	86/08/20	14:08	19	9.4	7.7
86/08/19	12:07	46	10.4	6.0	86/08/20	14:08	21	9.8	7.5
86/09/17	09:30	39	9.8	6.5	86/09/17	11:40	9	9.2	14.9
86/09/17	09:30	41	9.7	6.4	86/09/17	11:40	11	9.2	14.9
86/09/17	09:30	43	10.7	6.3	86/09/17	11:40	13	9.2	14.6
86/09/17	09:30	45	10.9	6.2	86/09/17	11:40	15	9.2	10.0
86/10/27	11:45	34	9.5	6.4	86/10/23	10:45	15	10.1	10.1
86/10/27	11:45	38	9.8	6.3	86/10/23	10:45	17	9.6	9.3
86/10/27	11:45	42	10.3	6.2	86/10/23	10:45	19	9.2	8.4
86/10/27	11:45	46	10.1	6.1	86/10/23	10:45	21	9.1	7.9

Table 28. Profile Data - Lakes of Bays: IB2, IB5.

IB2					IB5				
Date	TIME	DEPTH	DO	FWTEMP	Date	TIME	DEPTH	DO	FWTEMP
86/06/26	11:05	21	9.5	5.5	86/07/01	08:23	1	9.6	18.9
86/06/26	11:05	23	10.4	5.3	86/07/01	08:23	3	10.7	18.9
86/06/26	11:05	25	10.4	5.2	86/07/01	08:23	5	9.6	18.8
86/06/26	11:05	27	10.1	5.1	86/07/01	08:23	7	9.4	18.4
86/06/26	11:05	29	9.9	4.9	86/07/01	08:23	9	10.5	15.0
86/07/02	10:30	1	9.5		86/07/01	08:23	11	9.8	12.1
86/07/02	10:30	3	9.3		86/07/01	08:23	13	10.2	9.4
86/07/02	10:30	5	9.5		86/07/01	08:23	15	11.0	8.4
86/07/02	10:30	7	11.3		86/07/01	08:23	17	10.0	8.1
86/07/02	10:30	9	11.5		86/07/01	08:23	19	10.8	7.8
86/07/02	10:30	11	10.6		86/07/01	08:23	21	11.6	7.4
86/07/02	10:30	13	11.1		86/08/19	10:10	1	8.6	22.5
86/07/02	10:30	15	10.3		86/08/19	10:10	3	8.6	22.5
86/07/02	10:30	17	10.6		86/08/19	10:10	5	9.0	22.5
86/07/02	10:30	19	10.6		86/08/19	10:10	7	8.8	21.6
86/07/02	10:30	21	10.7		86/08/19	10:10	9	8.9	18.3
86/07/02	10:30	23	10.6		86/08/19	10:10	11	8.9	14.7
86/07/30	14:30	1	9.9	23.1	86/08/19	10:10	13	9.2	11.9
86/07/30	14:30	3	9.1	23.0	86/08/19	10:10	15	9.9	9.8
86/07/30	14:30	5	8.9	22.7	86/08/19	10:10	17	9.7	8.7
86/07/30	14:30	7	9.3	19.2	86/08/19	10:10	19	9.8	7.9
86/07/30	14:30	9	10.1	14.0	86/08/19	10:10	21	9.7	7.6
86/07/30	14:30	11	11.3	9.4	86/08/19	10:10	23	9.4	7.4
86/07/30	14:30	13	10.6	8.0	86/09/18	10:50	1	9.9	14.9
86/07/30	14:30	15	10.3	7.1	86/09/18	10:50	3	9.3	15.0
86/07/30	14:30	17	10.3	6.5	86/09/18	10:50	5	9.4	15.0
86/07/30	14:30	19	11.7	6.2	86/09/18	10:50	7	9.4	15.0
86/07/30	14:30	21	10.1	6.0	86/09/18	10:50	9	9.4	15.0
86/07/30	14:30	23	10.5	5.8	86/09/18	10:50	11	9.3	15.0
86/07/30	14:30	25	9.9	5.6	86/09/18	10:50	13	8.7	13.3
86/08/19	14:09	1	8.4	23.4	86/09/18	10:50	15	9.0	9.9
86/08/19	14:09	3	8.7	23.0	86/09/18	10:50	17	9.6	8.5
86/08/19	14:09	5	6.9	22.9	86/09/18	10:50	19	9.6	8.0
86/08/19	14:09	7	8.7	20.8	86/09/18	10:50	21	9.2	7.3
86/08/19	14:09	11	11.2	9.3	86/09/18	10:50	23	9.2	7.6
86/08/19	14:09	13	10.7	7.3	86/10/23	13:30	1	10.0	10.5
86/08/19	14:09	15	10.2	6.7	86/10/23	13:30	3	10.3	10.7
86/08/19	14:09	17	9.9	6.3	86/10/23	13:30	5	10.8	10.7
86/08/19	14:09	19	9.7	5.9	86/10/23	13:30	7	10.1	10.7
86/08/19	14:09	21	9.8	5.7	86/10/23	13:30	9	10.1	10.5
86/08/19	14:09	23	9.5	5.5	86/10/23	13:30	11	10.1	10.5
86/09/17	08:05	1	9.6	14.0	86/10/23	13:30	13	10.3	10.5
86/09/17	08:05	3	9.4	18.1	86/10/23	13:30	15	10.4	10.6
86/09/17	08:05	5	9.7	14.3	86/10/23	13:30	17	11.0	10.6
86/09/17	08:05	7	9.6	14.4	86/10/23	13:30	19	10.5	10.5
86/09/17	08:05	9	9.3	14.5	86/10/23	13:30	21	9.7	10.0
86/09/17	08:05	11	10.2	10.1	86/10/23	13:30	23	8.4	7.9
86/09/17	08:05	13	9.9	8.4					
86/09/17	08:05	15	10.0	7.3					
86/09/17	08:05	17	9.4	6.9					
85/09/17	08:05	19	9.8	6.3					
86/09/17	08:05	21	8.9	5.9					
86/09/17	08:05	23	8.7	5.7					
86/10/27	09:00	1	11.2	10.0					
86/10/27	09:00	3	10.7	10.1					
86/10/27	09:00	5	10.5	10.1					
86/10/27	09:00	7	10.8	10.1					
86/10/27	09:00	9	11.7	10.1					
86/10/27	09:00	11	10.2	10.1					
86/10/27	09:00	13	11.0	9.8					
86/10/27	09:00	15	9.7	6.7					
86/10/27	09:00	17	8.6	5.9					
86/10/27	09:00	19	9.0	5.6					
86/10/27	09:00	21		5.3					
86/10/27	09:00	23		5.1					

Table 29. Profile Data - Lake of Bays: IB7, IB12.

IB7					IB12				
Date	TIME	DEPTHS	DO	FWTEMP	Date	TIME	DEPTHS	DO	FWTEMP
86/07/01	14:10	1	9.1	20.2	86/07/02	10:55	1	12.3	18.9
86/07/01	14:10	3	9.2	20.0	86/07/02	10:55	3	10.3	18.6
86/07/01	14:10	5	9.3	19.8	86/07/02	10:55	5	10.6	18.5
86/07/01	14:10	6	9.2	18.0	86/07/02	10:55	7	9.9	17.6
86/07/01	14:10	7	9.9	17.1	86/07/02	10:55	9	10.3	14.6
86/07/01	14:10	9	10.1	15.6	86/07/02	10:55	11	10.3	11.8
86/07/01	14:10	11	10.5	11.9	86/07/02	10:55	13	10.6	10.3
86/07/01	14:10	13	11.1	8.8	86/07/02	10:55	15	10.6	9.1
86/07/01	14:10	15	10.2	7.6	86/07/02	10:55	19	10.4	8.0
86/07/01	14:10	17	10.6	7.0	86/07/02	10:55	21	10.9	7.4
86/07/01	14:10	19	10.6	6.6	86/07/02	10:55	23	11.4	7.0
86/07/01	14:10	21	10.4	6.3	86/08/20	14:55	1	8.8	24.1
86/08/20	11:52	1	8.6	23.3	86/08/20	14:55	3	8.6	23.2
86/08/20	11:52	3	8.7	22.5	86/08/20	14:55	5	8.8	22.7
86/08/20	11:52	5	9.1	22.0	86/08/20	14:55	7	9.2	22.4
86/08/20	11:52	7	8.8	21.8	86/08/20	14:55	9	8.7	21.3
86/08/20	11:52	9	8.3	18.4	86/08/20	14:55	11	9.4	14.2
86/08/20	11:52	11	8.7	14.3	86/08/20	14:55	13	9.8	11.0
86/08/20	11:52	13	9.0	10.9	86/08/20	14:55	15	9.8	9.1
86/08/20	11:52	15	9.4	8.9	86/08/20	14:55	17	9.7	8.5
86/08/20	11:52	17	9.6	7.9	86/08/20	14:55	19	9.9	8.1
86/08/20	11:52	19	10.1	7.2	86/09/17	10:40	1	9.3	14.1
86/08/20	11:52	21	9.6	6.7	86/09/17	10:40	3	10.0	14.1
86/08/20	11:52	23	9.5	6.4	86/09/17	10:40	5	9.3	14.3
86/09/18	09:40	1	10.0	15.0	86/09/17	10:40	7	9.4	14.4
86/09/18	09:40	3	9.2	14.9	86/09/17	10:40	9	9.3	14.3
86/09/18	09:40	5	9.4	14.9	86/09/17	10:40	11	9.3	14.4
86/09/18	09:40	7	9.2	14.9	86/09/17	10:40	13	9.0	14.5
86/09/18	09:40	9	9.2	14.8	86/09/17	10:40	15	9.9	9.8
86/09/18	09:40	11	9.3	14.7	86/09/17	10:40	17	9.6	8.0
86/09/18	09:40	13	9.3	14.2	86/09/17	10:40	19	9.7	7.8
86/09/18	09:40	15	9.0	9.3	86/09/17	10:40	21	9.5	7.2
86/09/18	09:40	17	9.1	8.8	86/09/17	10:40	23	9.4	7.6
86/09/18	09:40	19	9.5	7.7	86/10/23	10:00	1	11.1	10.5
86/09/18	09:40	21	9.4	7.2	86/10/23	10:00	3	10.8	10.5
86/09/18	09:40	23	9.3	6.9	86/10/23	10:00	5	11.2	10.6
86/10/23	12:15	1	10.9	10.4	86/10/23	10:00	7	9.9	10.5
86/10/23	12:15	3	10.9	10.5	86/10/23	10:00	9	10.2	10.5
86/10/23	12:15	5	10.4	10.6	86/10/23	10:00	11	11.9	10.3
86/10/23	12:15	7	10.7	10.6	86/10/23	10:00	13	9.5	10.1
86/10/23	12:15	9	10.2	10.6	86/10/23	10:00	15	9.5	9.3
86/10/23	12:15	11	11.0	10.6	86/10/23	10:00	17	10.2	9.1
86/10/23	12:15	13	9.8	10.2	86/10/23	10:00	19	9.2	8.5
86/10/23	12:15	15	10.1	9.7	86/10/23	10:00	21	9.8	8.1
86/10/23	12:15	17	9.2	7.6					
86/10/23	12:15	19	9.2	6.7					
86/10/23	12:15	21	10.4	6.5					
86/10/23	12:15	23	10.1	6.2					

Appendix 4. 1987 Sampling Sites

- Figure 5. Lake Muskoka
- Figure 6. Lake Joseph
- Figure 7. Lake Rosseau
- Figure 8. Lake of Bays




Figure 5. Lake Muskoka — 1987 Sampling Sites.




Figure 6. Lake Joseph — 1987 Sampling Sites.




Figure 7. Lake Rosseau — 1987 Sampling Sites.




Figure 8. Lake of Bays — 1987 Sampling Sites.